

Professional quality parts, service and solutions dedicated to your shop.

4th Quarter 2023 – Canada Only



NEW

Corghi Artiglio Master Force Contactless Tire Changer



- · Smart Corghi System can eliminate the tension between tire and rim, even on the most demanding low profile, runflat, and UHP tires
- · Combined use of hydraulic and pneumatic drives has optimized the work cycle for lower working time
- · Bead breaking with automatic lubrication
- · Dual-function operation ensures first the lifting and, in quick succession, the accurate positioning of the wheel, ready to be clamped
- Integrated wheel lift





Offers valid October 1, 2023 - December 30, 2023

For more information, contact your local CarQuest representative. Longer financing available up to 60 months.



- 8" corded Wi-Fi-enabled touchscreen tablet
- · Compatible with U.S., Asian, and European vehicles, 1996 and newer
- Read and erase codes, view and graph live data, view freeze frame data
- Perform bi-directional Active Tests and Special Functions
- Extensive, 40-plus service menu including brake bleed, oil and service lights resets, battery registration, DPF regen, and electronic
- parking brake and steering angle resets · Android 110S, 1.8 Ghz processor, and 7 hours of
- continuous battery life
- Update firmware and coverage software wirelessly
- One Year Limited Warranty



JEV

NEV

AIT MX	900	
\$64	49	99

Launch Gear Scan Plus LAUNCH

- Extensive vehicle coverage for over 95% US. Asian, and European vehicle makers
- Powerful OE-Level coverage for all vehicle systems
- · Smart auto ID vehicle (VIN, CIN, & CVN)
- · Support all 10 OBDII test modules
- One-click I/M Readiness
- DTC library with definitions & tips
- Graphing, record and replay data
- · Health reports sharing
- Support resets functions: Oil Light, EPB, BMS, IMMO, DPF, ABS Bleeding, TPMS, SAS, Sun-roof Initialization, Throttle matching, Injector Relearn
- 7-inch IPS touch screen
- · Built-in 6000 mAh rechargeable battery, long standby time
- Support multilingual









INDEX

A/C & Cooling Service
Air Compressors
Air Hose & Air/Oil/Grease Reels
Air Tools
Air Pressure Regulators
Battery Chargers
Battery Service
Brake Service
Chassis/Suspension Service
Creepers/Shop Seats
Diagnostic Tools
Engine & Drivetrain
Eligine & Divertain
Generators
Grease Guns
Hand Tools
Heavy-Duty Service
Inventory Reduction
Jack Stands
Jump Starters 2, 3, 5
Lifting & Support 40, 41, 42, 43, 44
Lighting
Oil/Lube Service 10, 11, 45, 46, 47, 48
Power Tools
Pressure Washers
Pullers & Slide Hammers11
Service/Bottle Jacks
Shop Heating
Specialty Tools
Tire Changers
Tire Service
35. 36. 37. 38. 39
TPMS Service
Tool Boxes/Storage
Trailer/Towing
Transfer Pumps
Vacuums
Warning Strobes & Signal Lights 53, 54
Welding 55, 56, 57
Welding Gloves
Welding Helmets
Wheel Alignment Systems
Wheel Balancers

SALES POLICY

Participation in this promotional program by a Carquest store is voluntary. Every promotion is a bona fide offer. O an advertised item may not be available because of sales anticipated demand or circumstances beyond our control. the right to substitute an item of equal or better value i that stock of an advertised product is depleted. Prices different styles and from market to market. Additional of freight charges may be incurred. Errors in prices, descript illustrations are not the responsibility of the Carquest[®] Auto Parts store.

PRICES GOOD IN CANADA ONLY.

Additional freight charges may apply on drop ship orders.

PR0_21434220-CAN-ENG

BE WINTER READY

Winter weather can be unpredictable. Carquest is ready to help you be ready for everything from snow and ice to cold temperatures, so you can reach your destination safely.

JUMP STARTERS	SubZero [®] GripTrax Maxx
Schumacher [®] 12V 1200A Chischumacher	Traction Mat
ithium Jump Starter	Wede in a second s
1200 Peak Amps - power for jump starting vehicles in emergencies	Works in snow, ice, mud, and sand
150 PSI Air Compressor for all of your inflating needs	33" length folds up into provided storage bag
2.4A USB output port – works with any device	Hard durable plastic to withstand large vehicles
powered or charged by USB power	
Built-in energy-efficient LED Light	
2.0A Micro USB Port for charging	
internal battery	
	HPK 12505
BC SL1439	CO E00
	72577
Schumacher [®] 2000 Peak	
Amp Lithium Jump Starter & Power Pack	SubZero [®] Snow Rake 46"
Jump start vehicle engines up to 10L gas or 10L Diesel	Extendable Heavy-Duty Arctic Plow
• Jump starts as low as -30C	Extendable fleavy-buty Afelic Flow
10W Wireless charging, 3A USB Port, 2.4A USB Port	Super wide 16" push-pull foam head for scratch-free
CBC SL1452	snow removal
	Foam pusher head moves heavy snow from all
107 Chumachor	parts of a vehicle
	Pivoting head allows for easy storage Quick-lock extender easily locks handle
Schumacher® 800 Peak Amp	into desired length
Nater Resistant Lithium Ion	
ump Starter/Power Pack	
• Water Resistant -IPX3 enclosed output ports	CPS 18841
Jump starter designed to charge vehicles with up to 6 cylinders	\$9099
Lithium Polymer battery - Provides longer life and more charge cycles Safe smart cable/clamps -Spark-free protection against	27 //
overcurrent, short-circuit, overload,	04
overvoltage and overcharge	
• 2.4A + 1A USB ports - Fast	SubZero [®] Heavy-Duty ArcticGuard [™] Sno
charging for all USB devices,	and Ice Windshield Cover
including smartphones,	
mp3 players and tablets	Eliminates difficult snow and ice scraping from windshield and side mirr
CBC SL1473	Fits most cars, trucks, SUVs and more
	Folds into compact size for easy storage
9999 Aschumacher	Measures 40" in height and 73" in width ArcticGuard
/	
CE SCRAPERS	
SubZero® 10" Bear Claw SubZero® 11" Klondike	
ce Scraper	
with 4" Wide Blade with 4" Wide Blade CPS 80012	and the second states of the second s
	HPK 17529
\$ 1 99 52 99 5	\$099
A HANNER	7
FINANCING	
	Lassa terms of 24 through 60 months are qualiable. All losses are subject to
One CALL Does it ALL with Affiliated Financial Services	Lease terms of 24 through 60 months are available. All leases are subject to credit approval, 1st advance lease payment and a one time non-refundable
Affiliated Financial Services (AFS), an industry leading financial services company across Canada, provides innovative lease-to own finance options	documentation fee of \$100.00 will be charged on the 1st invoice upon
for acquiring your NEW Tools & Equipment from CARQUEST [®] Auto Parts.	completion of the executed agreement. Minimum financed amount is
Financing your New Equipment is as easy as	\$1,000.00 as noted by sample payment information provided by each item.
1-2-3 with Affiliated Financial Services	Please note that finance payments will vary with every transaction, based
	on transaction size, prevailing rates,
1 Call your Carquest rep to select your Tools & Equipment	credit history, and other factors. Terms may also vary. All offers subject to change
	may also vary. All offers subject to change

to complete the credit process order your new equipment

3 Upon credit approval and documentation,

may also vary. All offers subject to change without notice.



www.groupesfa.com

* Please note finance payments vary with every transaction, based on transaction size, prevailing rates, credit history, and other factors. Terms may also vary. All programs subject to final approval by Affiliated Financial Services.

2 Call AFS at 1-855-209-0999



* Please note finance payments vary with every transaction, based on transaction size, prevailing rates, credit history, and other factors. Terms may also vary. All programs subject to final approval by Affiliated Financial Services.

BATTERY SERVICE

DSR° DSR118 6/12V Battery Charger/Engine Starter

- · 125A Engine Start powerful enough for SUV's, trucks and large engines
- · Fully Automatic prevents overcharging by monitoring and switching to maintenance mode when fully charged
- · Boost mode quickly brings deeply discharged battery back to life
- Service Mode maintains voltage at 13.6V to prevent discharge Reverse Hook-up Protection – charger does not operate if clamps are reversed on the battery





BATTERY CHARGERS/ENGINE STARTERS

Schumacher

Schumacher[®] 250A

6/12V Automatic Battery **Charger/Engine Starter** 250A Engine Start/40A Boost

- Charges standard, AGM, Gel and deep-cycle batteries
- · Microprocessor-controlled, automatically adjusts amperage rate, to charge and maintain batteries
- · Multi-stage charging for precision, safety and battery life
- Float mode monitoring maintains optimum battery charge CBC SC1325



Schumacher[®] 200A 12V Automatic

- **Battery Charger/Engine Starter** 200A Engine Start/40A Boost
- · Charges standard and AGM batteries
- · Fully-automatic, microprocessor-controlled
- · Reverse hook-up protection
- Features 6' power cord, retractable handle and durable steel case CBC SC1324

Schumacher[®] 150A

6/12V Manual Timer-**Controlled Charger/Engine Starter**

• For use on all 12V Standard, AGM, Gel and

- Deep Cycle batteries
- 135-minute timer keeps you in control of the charging process
- 150A 12V Engine start is powerful enough to jumpstart SUVs, trucks and large engines
- 25A 12V Boost modes can quickly bring deeply discharged batteries back to life
- 6A 12V Charge mode for your basic charging needs



Schumacher® 80A 12V Battery

- Charger/Engine Starter
- 80A engine start/20A Boost
- · Charges standard, AGM, Gel, and deep-cycle batteries · Microprocessor-controlled, automatically adjusts amperage
- rate, to charge and maintain batteries
- · Multi-stage charging for precision, safety and battery life CBC SC1306 \$12999



Battery Charger/Engine Starter

- 85A Engine Start/30A Boost
- · Charges standard, AGM and deep-cycle batteries
- · Battery and alternator tester provides charge level and
- helps diagnose electrical problems
- Digital display, LED indicator and button controls
- · Microprocessor-controlled, automatically adjusts amperage rate, to charge and maintain
- Multi-stage charging for precision, safety and battery life
- Float mode monitoring maintains optimum battery charge

CBC SC1362

\$**190**99

Schumacher[®] 100A 6V/12V Fully Automatic

- **Battery Charger/Engine Starter**
- 100A Engine Start/30A Boost
- Microprocessor-controlled, automatically adjusts amperage rate, to charge and maintain batteries
- Multi-stage charging for added precision,
- safety and battery life Float mode monitoring maintains
- optimum battery charge
- Reverse hook-up protection



Schumacher[®] 50A 12V Fully Automatic

- **Battery Charger/Engine Starter**
- 50A Engine Start/10A Boost · Charges standard and AGM batteries
- · Microprocessor-controlled, automatically adjusts amperage
- rate, to charge and maintain batteries Multi-stage charging for precision, safety and battery life
- · Float mode monitoring maintains optimum battery charge

CBC SC1361 \$10999

Schumacher[®] 15A 6/12V Fully Automatic **Battery Charger/Engine Starter**

- · Supplies 15A to charge and 3A to maintain car, truck, SUV, marine, and RV batteries
- · Charges standard, AGM and deep-cycle batteries
- · Digital display, LED indicator and button controls
- Microprocessor-controlled, automatically adjusts amperage rate, to charge and maintain
- · Multi-stage charging for precision, safety and battery life
- · Detects 6- or 12-volt batteries automatically

CBC SC1323

Schumacher[®] 1.5A 6/12V Fully Automatic Battery Maintainer

- · Compatible with standard and AGM batteries
- Microprocessor-controlled, automatically adjusts amperage rate, to charge and maintain batteries
- Multi-stage charging for precision, safety and battery life
- Float mode monitoring maintains optimum battery charge
- Auto-volt detection 6 or 12 volt



* Please note finance payments vary with every transaction, based on transaction size, prevailing rates, credit history, and other factors. Terms may also vary. All programs subject to final approval by Affiliated Financial Services.




Schumacher









Schumacher



- Schumacher

BATTERY SERVICE

BATTERY CHARGERS/MAINTAINERS

- Schumacher[®] 6V/12V 2-Bank 2A Battery Charger/Maintainer
- · For maintaining all power sport, car and marine batteries
- · Microprocessor-controlled automatically adjusts amperage rate, to charge and maintain batteries
- · Multi-stage charging for added precision, safety and battery life · Float mode monitoring - maintains optimum battery charge
- CBC SC1410



Schumacher[®] 3A 6/12V Automatic <

- **Battery Charger/Maintainer**
- · Maintains standard, AGM and gel batteries
- · Microprocessor-controlled, automatically adjusts
- amperage rate, to charge and maintain batteries Scrolling digital messaging provides instructions on
- how to charge battery
- · Auto-volt detection 6 or 12 volt







Schumacher[®] 1.5A 6/12V Fully

- **Automatic Battery Maintainer**
- · Works with standard and AGM batteries
- · Specifically designed for vehicles in storage and cold weather

Schumacher

- · Includes double-sided adhesive and cable tie for mounting
- · Approved for under-the-hood mounting
- · Multi-stage charging and float mode monitoring



JUMP STARTERS

Schumacher[®] 1200 Peak Amp **Portable Power Station**

- · Works with 4 to 8 cylinder engines
- · 400 Peak watt converter Two 120V AC outlets
- · 150 PSI automatic digital air compressor with
- pressure gauge, nozzles and storage area
- 2A USB port
- · Built-in ultra-bright LED light

CBC SJ1332

Schumacher[®] 1200 Peak Amp Lithium Jump **Starter & Power Pack**

- · Quickly jump starts vehicles as low as -50C
- Safe smart cable/clamps deliver spark-free protection against overcurrent, short circuit, overload, overvoltage, and overcharge 2.4A USB port charges USB devices, including smartphones, mp3
- players, and tablets



Schumacher[®] 1000 Peak Amp Jump Starter and USB Power Source Schumache

• 1000 Peak Amps, 500 Cranking Amps

- · 2.4A USB output port works with any device powered or charged by USB power
- · Built-in light energy-efficient ultra-bright LEDs
- · 2A micro USB input port for recharging internal battery





BATTERY TESTERS Autel[®] MaxiBAS BT609 AUTEL

- 7" Android-based wireless battery
 - and electrical system analysis tablet Adaptive conductance to produce a more accurate exam of the battery's status
- Support in-vehicle and out-of-vehicle testing of passenger vehicle batteries
- Test 6- and 12-volt batteries: 100 -
- 3000 CCA Test 12- and 24-volt cranking/
- charging systems · Test flooded, AGM, AGM Spiral, EFB
- and GEL batteries
- Compatible with CCA, CA, SAE, EN, IEC, DIN, JIS and MCA

 Features VINscan for rapid identification of vehicle and battery specifications

- · All systems code reader and service menu
- · Print to PC or email reports via Wi-Fi
- FREE 1 Year Software Updates and Limited Hardware Warranty

Battery Service



AIT BT609 \$**200**99

Autel MaxiBAS BT508

- · Adaptive conductance to produce a more accurate exam of the battery's status
- · Use with free mobile app (iOS and Android) to perform testing and display test results
- · Includes wireless Bluetooth VCI for battery and electrical component registration
- Test 12-volt batteries: 100 2000 CCA
- · Test 12-volt cranking/charging systems
- · Test Flooded, AGM, AGM Spiral, EFB and GEL batteries
- · Compatible with CCA, CA, SAE, EN, IEC, DIN, JIS and MCA
- Read and erase codes of all available systems
- · Illustrated guide for battery position and testing
- AIT BT508



Autel[®] MaxiBAS BT506 AUTEL

- BT506 is a Battery and Electrical System Analysis tool and App
- Includes Connected Cable with Clamps
- · Support In-vehicle and Out-of-vehicle Testing of Passenger Vehicle Batteries
- Test 6- and 12-volt batteries: 100 2000 CCA
- · Test 12 and 24 Volt Cranking/Charging Systems
- Test Flooded, AGM, AGM Spiral, EFB and GEL batteries
- Compatible with CCA, CA, SAE, EN, IEC, DIN, JIS and MCA
- Download Free App from Google Play and the App Store AIT BT506

Schumacher[®] Digital 12V Battery Tester

- · Hand-held tester checks the battery, starting and charging systems with digital accuracy
- For 12V SLI, VRLA, AGM and Gel batteries
- · Accepts rating types CCA, CA, EN, IEC, DIN and SAE
- Operating range: 100-1200 CCA (SAE)

Testing voltage: 7-15V

CBC BT175

* Please note finance payments vary with every transaction, based on transaction size, prevailing rates, credit history, and other factors. Terms may also vary. All programs subject to final approval by Affiliated Financial Services.



Schumacher[®] Battery Load Tester

- · Test load, battery condition, starter motor draw and complete charging system diagnosis
- 50 amp load test for 6 volt batteries
- · 100 amp load test for 12 volt batteries

Tests 6 and 12 volt batteries – up to 1000 CCA

For more information, contact your local CarQuest representative.







EV CHARGERS/GENERATORS

Autel[®] MaxiBAS BT608 Battery and AUTEL **Electrical System Tester**

- · Tests the battery, starter, alternator and parasitic draw
- · Read and erase codes and view live data
- · 5.5" Android-based touchscreen with user friendly graphic interface
- · Wirelessly connects with VCI via Bluetooth
- · Auto registration after battery replacement for 53 vehicle makes
- · Step-by-step electrical reset instructions
- · AutoVIN & VINScan to automatically identify battery parameters by VIN
- · Illustrated instructions for battery positioning and testing
- · Create customized customer repair reports and share with
- built-in thermal printer, WiFi printing via PC or email Easily update software via WiFi to keep





EV CHARGING STATIONS Installation by a qualified electrician required

Autel[®] MaxiCharger MCC50AHI AUTEL

Post Bundle

- Compatible with all EV and Hybrid Plug-in Vehicles · 25ft long Universal (J1772) Charging Cable
- and Hardwired installation Adjustable charging up to 50 Amps
- · In-body holster · For commercial use only
- · Specially designed for indoor or outdoor use Interactive LCD touchscreen
- Includes (1) pedestal post
- FREE 1-Year Cloud Service Subscription



Autel[®] MaxiCharger MCC50AHI Wall-Mount Bundle AIT C50WALL



Autel[®] MaxiCharger Level 2 AUTEL **50A EV Charging Station**

- with Side Holster Hardwire
- · Compatible with all EV and Hybrid Plug-in Vehicles
- · Adjustable charging up to 50 Amps
- · For residential use only
- Autel Charge app enables remote start, stop, monitoring and scheduling
- · Specially designed for Indoor or Outdoor use AIT MC50AHS



Autel[®] MaxiCharger Level 2 **40A EV Charging Station** with Side Holster NEMA 14-50

- · Compatible with all EV and Hybrid Plug-in Vehicles
- · Adjustable charging up to 40 Amps
- · For residential use only
- · Autel Charge app enables remote start, stop, monitoring and scheduling
- · Specially designed for Indoor or Outdoor use

AIT MC40AP14S \$**790**99



EV CHARGING STATIONS

Phillips & Temro Industries[®] EVOCHARGE[®] EVOCHARGE Level 2 iEVSE & iEVSE Plus

- Modern compact design
- · Rated for indoor/outdoor use with temperature range of -30°C to 50°C and relative humidity of 95%
- iEVSE is 0CPP 1.6 networked enabled charging station to support access control, payment capability, remote management and control, demand response
- · LED charge status indicators (power/ready, charging, fault) · Standard connector and cable holster included, optional cable
- management solutions availablet iEVSE Plus models include 4G-LTE cellular, RFID card reader and
- Local Load Management capability

iEVSE Level 2 Charger with 18ft Charge Cable TEM EVC3AB0A2E1A1



iEVSE Level 2 Charger with Retractable 25ft Charge Cable TEM EVC3AB0B2A1A1

* Contact your local store for pricing and availability

FINANCE IT

iEVSE Plus Level 2 Charge with 25ft Charge Cable TEM EVC3ACOBIA1A1 * Contact your local store

for pricing and availability

FINANCE IT

iEVSE Plus Level 2 Charger with 8ft Pedestal and Retractable 25ft Charge Cable TEM EVC3AC0B1A1A4

* Contact your local store for pricing and availability **FINANCE IT**

SCHUMACHER[®] GENERATORS Schumacher

Schumacher[®] 880 Wh Portable Power Generator

- · Rechargeable lithium ion battery power is quiet and safe for indoor use
- 1000W Pure Sine Wave Inverter for running sophisticated electronic appliances
- Two 110V AC Household Outlets provide back-up power for home appliances
- · Four USB Ports: 3A/2.4A for charging USB devices, including smartphones, mp3 players and tablets
- Two 12 Volt DC Output Ports
- One 12V DC Accessory Port
- · Provides all day power and fully recharges in only 10.5 hours

CBC SL1467 10099

Schumacher[®] 535W Portable Power Generator

- · Powered by a rechargeable lithium ion battery
- · No fumes or fuel quiet and safe for indoor use
- · Built-in 500W Pure Sine Wave Inverter for running sophisticated electronic appliances
- Two 110V AC Household Outlets provide back-up power for home appliances
- · Four USB Ports: 3A/2.4A for charging USB devices, including smartphones, mp3 players and tablets
- Two 12 Volt DC Output Ports
- One 12V DC Accessory Port
- · Runs for up to 22 hours
- · Recharges in only 12 hours CBC SL1466

FIRMAN[®] Generator Power Cord 25[°] FIRMAN

- 10 Gauge 30 AMP wiring
- · Fully insulated, rated for outdoor use
- Individual circuit breakers for each (3) outlet FRM 1101



* Please note finance payments vary with every transaction, based on transaction size, prevailing rates, credit history, and other factors. Terms may also vary. All programs subject to final approval by Affiliated Financial Services.



GENERATORS/SPECIALTY TOOLS

FIRMAN[®] PERFORMANCE **SERIES GENERATORS**

FIRMAN[®] 7125/5700 Watt Generator

- · 8 Gallon Tank with 13 hour Run Time Max Pro Series 389cc FIRMAN Engine
- · 4-in-1 Data Minder Measures Volts, Hertz,
- Hours. and Low Oil Indicator Outlets – (2) 5-20R 20A-120V,
- (1) L14-30R 30A-120V/240V Twistlock, (1) L5-30R 30A-120V Twistlock
- · With remote start



FIRMAN° 4550/3650 Watt Generator

- Max Pro Series 208cc FIRMAN Engine
- · 5 gallon tank with fuel gauge provides up to 14 hours of runtime
- Outlets (1) TT-30R (RV Ready) 120V 30A, (1) L14-30R 120V - 30A Twistlock. (1) 5-20R Duplex 120V - 20A

· 3650 running watts/ 4550 starting watts · With remote start

FRM P03612



FIRMAN[®] 4450/3550 Watt Generator

- Max Pro Series 208cc FIRMAN Engine
- · 5 gallon tank with fuel gauge provides up
- to 14 hours of runtime
- Outlets (1) TT-30R (RV Ready) 120V 30A, (1) L5-30R 120V - 30A Twistlock, (1) 5-20R Duplex 120V - 20A
- · 3550 running watts/ 4450 starting watts





FIRMAN[®] 1500/1200 Watt Recoil **Start Gas Portable Generator**

- · 80cc engine with low oil shut off and cast iron sleeves
- · 1.7 gallon tank with fuel gauge provides up to
- 10 hours of runtime
- 5-20R 120V 20A Duplex, 12V 8.3A DC Outlet
- · 1200 running watts/ 1500 starting watts







FIRMAN[®] WHISPER SERIES GENERATORS

FIRMAN[®] Whisper Series 3300/3000 Watt **Remote Start Gas Portable Generator**

- Max Pro Series 171cc FIRMAN Engine
- 1.8 gallon tank provides up to 9 hours of runtime
- Outlets (1) TT-30R (RV Ready) 120V 30A,
- (1) 5-20R Duplex 120V 20A, 12V (W/Battery Charging Cables), (1) USB (5V, 2.1 amps)
- · 3000 running watts/ 3300 starting watts FRM W03083



Recoil Start Gas Portable Generator

- Max Pro Series 80cc FIRMAN Engine
- · .9 gallon tank provides up to 9 hours of runtime • Outlets - (1) 5-20R Duplex 120V - 20A, 12V (W/Battery
- Charging Cables), (1) USB (5V, 2.1 amps)



FIRMAN[®] HYBRID SERIES FIRMAN GENERATORS

FIRMAN[®] Hybrid 10,000 Watt Tri Fuel Portable Generator

- Gasoline, Propane, and Natural Gas · 439cc Tri fuel engine with low oil shut off and cast iron sleeve
- 8 gal tank provides 12hrs of run-time. Propane tank not included

Outlets: (2) 5-20R 20A-120V, (1) 14-50R 50A-120/240V, (1) L14-30R 30A-120V/240V Twist Lock, (1) L5-30R 30A-120V Twist Lock



FIRMAN[®] 4550/3650 Watt Electric Start Gas or Propane Dual **Fuel Portable Generator**


- Max Pro Series 208cc FIRMAN Engine
- with low oil shutdown and cast iron sleeve Up to 14 hour run time - 5 Gallons of Gasoline,
- Up to 10.5 hour run time 20lb Propane
- Outlets: (1) TT-30R (RV Ready) 120V 30A,
- (2) 5-20R Duplex 120V 20A, (1) L5-30R 120V 30A 3650 running watts/ 4550 starting watts - Gas
- 3300 running watts/ 4100 starting watts LPG





FIRMAN FIRMAN® GENERATOR COVERS

· Pull Cord Drawstring East To Install Double Insulated Fabric Liner Weather Resistant



FRM

1009

\$32.49

FIRMAN[®] 50A Parallel Kit **FIRMAN**

29.5" X 21.7" X 24"

- Connects two FIRMAN Inverter generators together to double or triple your power
- Built in compartment for paralllel cords
- for easy storage FRM 1201

LST 24680

\$**70**99

Large Generator Cover

Lisle[®] Spill-Free Funnel

- · Allows a quick visual check of coolant
- Eliminates trapped air pockets which cause erratic cooling system and heater performance
- Controls the proper amount of coolant entering system and enables unattended filling of the cooling system













- Lisle[®] Master Disconnect Set
- · A complete set of (8) popular disconnect tools
- · Can be stored in a handy blow-moulded case



Lisle[®] 6-Piece Angled Disconnect Tool Set

- fisle · Disconnects spring lock couplings on Ford and Chrysler A/C lines · Works on fuel lines and other quick disconnect couplings on domestic and import vehicles
- Six sizes: 5/16", 3/8", 1/2", 5/8", 3/4" and 7/8"



Lisle[®] 6-Piece Disconnect Tool Set

- · Set of six tools which disconnect the spring lock couplings on Ford and Chrysler A/C line
- · Also works on fuel line quick connect couplings found on GM, Ford, and Chrysler
- The 5/16" size fits on push lock connectors found on Ford radiators and transmission lin
- Set includes six sizes: 5/16", 3/8", 1/2", 5/8", 3/4" and 7/8"



BATTERY SERVICE

Lisle[®] Battery Carrier

- · Spring-action handle turns lifting power into battery gripping pressure
- · Form-fitting handle provides a solid gripping surface for your hand
- Opens up to 10"
- · Saw-tooth jaw tips provide a no-slip battery gripping power and grips the battery just below the top lip for good balance



BRAKE SERVICE

Lisle[®] Double Flaring Tool Kit

- · Makes both single and double SAE flares · Includes everything to flare thin wall steel, aluminum or .040 wall soft copper tubing
- · Includes 5 thread dies and adapters for forming double flares on the following tubing sizes: 3/16", 1/4", 5/16", 3/8" and 1/2"





OTC[®] Double Flaring Tool Kit

- · Designed for double or single flare in copper, aluminum soft steel brake line, and brass tubing (to 45 degrees)
- Includes five adapters 3/16" through 1/2" (4.8mm through 12.7mm)
- · Chrome swivel, made of alloy steel reduces friction · Forged yoke made of heat treated steel
- · Includes moulded case
- OTC 4503

Lisle[®] Brake Spring Pliers Lisle

- · Use plier tips to stretch brake spring
- · Handle ends remove and install spring over anchor post LST 11260



8

BRAKE SERVICE

- Lisle[®] Rear Disc Brake Caliper Tool Designed for rotating pistons back into the caliper to
- provide clearance for new pads Includes 5 adapters for use in both 2 and 4-wheel rear disc
- brake assemblies of most domestic and import cars
- · Tool may be used "on" or "off" the car



Lisle[®] Dual Piston Brake Caliper Compressor *Lisle*

- Squeeze the handle and the fast acting plunger compresses
- disc brake pistons in seconds
- Makes dual piston pad replacement a simple job LST 25750

Lisle Lisle[®] Speedy Brake Pad Spreader

- Squeeze the handle and the fast acting plunger compresses disc brake pistons in seconds
- Makes brake pad replacement an easy job
- LST 24300

\$5699

Lisle[®] Stone Type Glaze Breaker *Lisle*

- Controlled pressure assures positive, adjustable contact through full range
- · Operates with any electric drill
- · Furnished with 3" long 220 grit stones
- · Adjustable stop collar permits quick selection of two range settings, from 2" to 4" and from 4" to 7'
- · Stone arms are easily compressed to eliminate cylinder scratches LST 23500
- 199

Lisle[®] 9-Piece Combination Brake Lining Thickness Gauge Set

Designed to check both straight on or at a 90° angle to the rotor with offset tips so the gauges can be used without removing the wheel or caliper assembly · Colour coded to match SAE or Metric recommendations for brake pad replacement. LST 81850



Lisle[®] Brake Piston Tool

- · Rotates piston back into the caliper when replacing pads
- · Fits most domestic and some import applications
- · Use with 3/8" drive ratchet and extension



Lisle[®] Disc Brake Pad Spreader *Lisle*

 Makes changing pads an easier job · Tool compresses disc brake piston for easy pad installation



Lisle[®] Inner Tie Rod Tool *Lisle*

- · The rounded socket ends prevent access to the wrench flats. This tool utilizes six crows feet, to engage the wrench flats
- · Long socket slips over tie rod end and connects to the crows fool · The inner tie rod can be removed and installed
- without removing the rack



* Please note finance payments vary with every transaction, based on transaction size, prevailing rates, credit history, and other factors. Terms may also vary. All programs subject to final approval by Affiliated Financial Services.

















* Please note finance payments vary with every transaction, based on transaction size, prevailing rates, credit history, and other factors. Terms may also vary. All programs subject to final approval by Affiliated Financial Services.

Specialty & Hand Tools

ENGINE AND DRIVETRAIN

Heli-Coil[®] M14 x 1.25 Sav-A-Thread Kit

- · Can be used to repair both taper seat and gasket type spark plug assemblies
- Three insert lengths available to accommodate all spark plug reaches
- · Piloted reamer tap means no drilling is necessary and perfect alignment of the tapped hole

HC 5334-14



Lisle[®] Oxygen Sensor Socket

- · Special 22mm socket with cut away slot to provide clearance for wire harness
- · Provides adequate depth to fit over sensor
- Use with 3/8" square drive or 1" wrench



Lisle[®] Pneumatic Fan Clutch Wrench Set

- · Includes 7 driving wrenches that fit Ford, GM, Chrysler & Jeep · Quickly removes and installs fan clutch when repairing the
- water pump or fan clutch
- Includes blow molded storage case





Lisle® Broken Spark Plug Remover for Ford 3 Valve Lisle

- · Removes broken spark plugs from 2004 and newer Triton 3 valve per cylinder engines (a common problem)
- Includes a unique porcelain pusher tool and a tapered left-hand thread remover for removing the broken spark plug without leaving the porcelain in the engine cylinder
- · Porcelain pusher is used to press the porcelain piece, without breaking the porcelain, farther into the plug tip
- Blow-moulded storage case included



Lisle[®] Valve Spring Compressor

- Adjustable cam action
- · No need to readjust the tool after each spring LST 16750



Lisle[®] Mini Tubing Cutter *Lisle*

- · For all types of metal tubing · Completely non-corrosive
- Handles smallest tubing to 5/8" 0.D.





CALIPERS/MICROMETERS MEASURING TOOLS

STORM[™] Digital Calipers STORM[™]

Range: 0-6"/0- 150mm

- Graduations: .0005"/.01mm
- · Digital display, inch/metric conversion · Four measurements: inside, outside,



OIL/LUBE SERVICE

Lisle[®] Truck & Tractor Oil Filter Pliers Fits most truck and tractor oil filters including: Case,

- Caterpillar, Cummins, Detroit Diesel, John Deere, Mack and other applications
- Range: 3-5/8" to 6"

LST 50950



Lisle[®] Oil Filter Pliers [isle,

- · Two-position, slip-joint handle
- produces the range of three separate conventional filter wrenches
- · Jaws are bent at a 20° angle to fit more applications
- · Sure grip teeth prevent slipping when removing filter



225 LST 50750

Lisle[®] Heavy-Duty Strap Filter Wrench

- · Use with 1/2" drive socket wrench to remove filters or install filters and other objects up to 6-1/2" diameter
- 3-5/8" long yoke fits into tight areas

LST 60200

Lisle[®] Strap Wrench Lisle[®]

- · Loosen or tighten cylindrical or rectangular objects
- Range from 1" to 6-5/8" round
- Tensile strength of strap is 1350 PSI
- LST 28500



Oil Filter Wrenches

- Features the swivel handle, gripper "teeth" and 1" wide stainless steel band Swivel handle makes it easy to remove filters in hard to reach locations
- Vinvl covered handle

Extra Small

LST 57020



Large 4-1/8" - 4-1/2 LST 53250

fisle

Lisle

Lisle

Lisle[®] Oil/Fuel Filter Wrenches

- · "Swivel Grip" handle makes it easy to turn in tight spots · Tough, stainless steel bands with special "teeth" for extra gripping power won't slip when removing filters
- · Handles made of tubular steel for increased strength

Lisle[®] Big Range Filter Wrench *Lisle*

• Use with 1/2" drive or 3/4" socket wrench

Lisle[®] 6 Qt. Oil Dispenser *Lisle*

Cummins & Detroit Diesel 4-5/16" - 4-3/4" LST 54200

Range: Up to 6"

1499

· Marked in quarts and litres • Flexible 8" pouring spout

LST 63500

LST 19732

Standard 2-7/8" - 3-1/4 LST 53700

Small 2-3/8" - 2-5/8" LST 54400











* Please note finance payments vary with every transaction, based on transaction size, prevailing rates, credit history, and other factors. Terms may also vary. All programs subject to final approval by Affiliated Financial Services.

depth and step













WRENCHES

POWERBUILT® Metric & SAE Combination Wrenches

- · Crafted from premium chrome vanadium steel
- · 15° offset and chamfered openings for easy mating to fasteners · Z-Drive box end contacts the flat walls of fasteners

Туре	Line Code	Part Number	Price
7MM	TLS	644111	\$2.99
8MM	TLS	644112	\$3.49
9MM	TLS	644113	\$3.49
10MM	TLS	644114	\$3.99
11MM	TLS	644114	\$3.99
12MM	TLS	644115	\$3.99
13MM			\$3.99
	TLS	644117	• • •
14MM	TLS	644118	\$4.99
15MM	TLS	644119	\$5.99
16MM	TLS	644120	\$5.99
17MM	TLS	644121	\$6.99
18MM	TLS	644122	\$6.99
19MM	TLS	644123	\$6.99
21MM	TLS	644125	\$8.99
22MM	TLS	644126	\$9.99
24MM	TLS	644128	\$11.99
30MM	TLS	644134	\$20.99
1/4"	TLS	644140	\$2.99
5/16"	TLS	644141	\$3.49
3/8"	TLS	644142	\$3.99
7/16"	TLS	644143	\$3.99
1/2"	TLS	644144	\$4.99
9/16"	TLS	644145	\$4.99
5/8"	TLS	644146	\$5.99
3/4"	TLS	644147	\$6.99
13/16"	TLS	644148	\$8.99
7/8"	TLS	644149	\$9.99
15/16"	TLS	644150	\$11.99
1"	TLS	644152	\$13.99
1-1/16"	TLS	644153	\$15.99
1-1/8"	TLS	644154	\$18.99
1-1/4"	TLS	644155	\$22.99

POWERBUILT® 1/4" DRIVE RATCHETS

POWERBUILT[®] 1/4" Drive **36-Tooth Quick Release Gear-to-Gear Ratchet** TLS 640508 699



POWERBUILT® 3/8" DRIVE RATCHETS

3/8" Drive 36 Tooth Quick **Release Gear-to-Gear Ratchet** 



3/8" 72-Tooth Head Ratchet





POWERBUILT [®]	1/2"	DRIVE	RATCHETS
			<u> </u>



Туре	Line Code	Part Number	Price
3/4" Shallow - 1-1/2"	TLS	643210	\$15.99
3/4" Shallow - 1-5/8"	TLS	643212	\$17.99
3/4" Shallow - 1-3/4"	TLS	643214	\$19.99
3/4" Shallow - 1-7/8"	TLS	643216	\$21.99

711

POWERBUILT° Deep Sockets

Туре	Line Code	Part Number	Price
1/2" DR - 1-1/16" Deep	TLS	648217	\$6.99
1/2" DR - 21MM Deep	TLS	640836	\$4.99
1/2" DR - 22MM Deep	TLS	640837	\$4.99
1/2" DR - 23MM Deep	TLS	640838	\$4.99
1/2" DR - 24MM Deep	TLS	640840	\$5.99
1/2" DR - 27MM Deep	TLS	640841	\$6.99

POWERBUILT® 1/2" Drive Deep Impact Sockets

Line Part Price Type Code Number 1/2" DR - 9/16" Deep Impact TLS 647171 \$6.99 1/2" DR - 5/8" Deep Impact TLS 647172 \$6.99 1/2" DR - 3/4" Deep Impact TLS 647174 \$7.99 1/2" DR - 13/16" Deep Impact TLS 647175 \$7.99 1/2" DR - 7/8" Deep Impact TLS 647176 \$8.99 1/2" DR - 15/16" Deep Impact TLS 647177 \$9.99 647178 \$9.99 1/2" DR - 1" Deep Impact TLS 1/2" DR - 1-1/8" Deep Impact TLS 647179 \$11.99 1/2" DR - 1-1/4" Deep Impact TLS 647180 \$13.99 1/2" DR - 1-1/16" Deep Impact TLS 647194 \$10.99 1/2" DR - 12MM Deep Impact TLS 647181 \$6.99 1/2" DR - 14MM Deep Impact TLS 647183 \$6.99 1/2" DR - 15MM Deep Impact TLS 647184 \$6.99 1/2" DR - 17MM Deep Impact TLS 647186 \$6.99 1/2" DR - 18MM Deep Impact TLS 647187 \$7.99 1/2" DR - 19MM Deep Impact TLS 647188 \$7.99 1/2" DR - 20MM Deep Impact TLS 647192 \$7.99 1/2" DR - 21MM Deep Impact TLS 647189 \$7.99 1/2" DR - 22MM Deep Impact TLS 647190 \$8.99 1/2" DR - 24MM Deep Impact TLS 647191 \$9.99 1/2" DR - 26MM Deep Impact TLS 647193 \$9.99









* Please note finance payments vary with every transaction, based on transaction size, prevailing rates, credit history, and other factors. Terms may also vary. All programs subject to final approval by Affiliated Financial Services.

SOCKETS

POWERBUILT° 1/2" Drive Axle Nut Socket Part Line Туре Code Number Price 1/2" Axle Nut - 30MM TLS 648469 \$10.99 \$14.99 1/2" Axle Nut - 31MM TIS 647077 \$11.99 1/2" Axle Nut - 32MM TIS 648470 1/2" Axle Nut - 34MM 648471 \$12.99 TIS 1/2" Axle Nut - 35MM TIS 647079 \$14.99 TIS 648472 \$12.99 1/2" Axle Nut - 36MM 1/2" Axle Nut - 38MM TLS 647080 \$17.99



SOCKET ADAPTERS



DRIVE SOCKET SETS

POWERBUILT[®] 8-Piece 1/2" SAE & POWERBUILT **Metric Deep Socket Sets**

SAE 1/2" - 15/16" TLS 640056 Metric 12mm - 23mm TLS 640055

YOUR CHOICE EACH

POWERBUILT[®] 1/4" Drive Deep Well Metric Socket Set **10-Piece Set** · Includes 1/4" Drive Metric; 4mm - 13mm 6pt

TLS 640538



POWERBUILT° 3/8" Drive Socket Sets 9-Piece SAE Set Includes 3/8" - 7/8" 6 pt. sockets and clip rail TLS 641716

DRIVE IMPACT SOCKET SETS

POWERBUILT[®] 1/2" Drive Deep Well Impact Socket Sets 11-Piece 6 point Set

Metric Set Includes 10mm -14mm, 16mm, 17mm, 19mm, 21mm - 24mm, deep well impact sockets





SAE Set · Includes 3/8" - 1", deep well impact sockets TLS 647049 7099

DRIVE IMPACT SOCKET SETS

Milwaukee[®] SHOCKWAVE Impact Duty[™] 1/2" Drive SAE Deep Socket Set 12-Piece 6 pt. Includes: 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1", 1-1/16"

MLK 49-66-7011 \$12099 Milwaukee

POWERBUILT[®] 1/2" Drive Impact *Constant* Socket Sets

18-Piece 6 point Set

Metric Set • Includes 10 - 19mm, 21mm - 24mm, 27mm, 30mm, 32mm impact sockets, 5" impact extension, storage case. TLS 940838

SAE Set Includes 5/16" - 1-5/16" impact sockets, 5" impact extension, storage case TLS 940837

YOUR CHOICE \$**9**<u>/</u>99 EACH

IRWIN[®] BOLT GRIP[™] SETS

IRWIN[®] 5-Pc BOLT-GRIP[™] 5-Pc Base Set IRWIN

- · Set includes bolt extractors to remove bolt sizes: 11mm, 14mm, 16mm, 3/8", 7/16", 1/2", 9/16", and 5/8"
- · 3/8" square drive for use with hand ratchets; hexagonal flats for use with flat wrench, pliers, adjustable wrench, sockets or VISE-GRIP locking pliers PET 394001



IRWIN[®] 5-Pc BOLT-GRIP[™] Expansion Set

- · Set includes bolt extractors to remove bolt sizes: 8mm,
- 3/8" square drive for use with hand ratchets, impact wrenches and air ratchets; hexagonal flats for use with flat wrench, pliers, adjustable wrench, sockets or VISE-GRIP locking pliers

TRIPLE SQUARE BIT SETS

Lisle[®] Master Triple Square Bit Set <u>Lisle</u>

- For head bolts, brake caliper bolts, door handle screws, axle bolts and other applications
- 5/16" Hex Drive sizes 4mm, 5mm
- 1/2" Hex Drive sizes 6mm, 8mm, 10mm, 12mm
- 5/8" Hex Drive sizes 14mm, 16mm
- 3/4" Hex Drive size 18mm LST 60850

ş**ΛQ**99

Lisle[®] 12 pt. Triple Square Bit Set

- Triple square (12 point) bits to fit 6, 8, 10 and 12mm sizes, Fit all on 1/2 inch hex drives
- · Fits some head bolts, retaining bolts, disc brake calipers and other applications







lisle * Please note finance payments vary with every transaction, based on transaction size, prevailing rates, credit history, and other factors. Terms may also vary. All programs subject to final approval by Affiliated Financial Services.



Specialty & Hand Tools











PET 394002


10mm, 13mm, 19mm, 5/16", 11/16", and 3/4"



TORX[®] / HEX BIT SETS

Lisle[®] 12-Piece TORX[®] Bit Set

- Includes the T-10 through T-50; and T-47, T-55 and T-60 bits
- T-10 through T-30 are 1/4" drive, T-40 through T-55 are 3/8" drive, T-60 is 1/2" drive







POWERBUILT[®] 13 Piece Star Bit COVERBUILT Socket Set Includes 1/4"; T-10 to T-30, 3/8"; T-40 to T-55 & 1/2"; T-60 & T-70 bit sockets.









Lisle[®] 7-Piece Tamper Resistant TORX[®] Bit Set *Lisle*

• Bit sizes T-10 through T-40

Fits tamper-resistant TORX[®] fasteners



POWERBUILT[®] 7 Piece 3/8" Drive Metric Hex Bit Socket Set

· Includes 3mm-8mm and 10mm chrome vanadium bit sockets in reusable plastic holder TLS 648663



Lisle[®] Tap Socket Set

• Fits all number and fractional M.C.T.I. standard taps thru 1/2" Also fits 1/8" NPT taps and metric taps thru 12mm



MILWAUKEE® TOOL SETS Milwaukee

Milwaukee® Ratchet and Socket Sets

- · FOUR-FLAT[™] socket sides for wrenchready design that deter rolling
- 90-Tooth ratchet offers 4° arc swing
- · Slim profile ratchet head with flush direction lever
- · Steel storage case with removable inner tray

56-Piece; 3/8" Drive; SAE & Metric

- · Includes (1) 90-Tooth ratchet, (1) 3" extension,
- (1) 6" extension and (1) universal hose adapter
- SAE sockets: (12) standard from 1/4" 1"; (10) deep from 1/4" 7/8" · Metric sockets: (14) standard from 6mm - 19mm; (14) deep from 6mm - 19mm
- MLK 48-22-9008



47-Piece; 1/2" Drive; SAE & Metric

- (1) 90-Tooth ratchet, (1) 3" extension and 1) 5" extension
- SAE sockets: (11) standard from 1/2" 1-1/8"; (8) deep from 1/2" - 15/16"
- · Metric sockets: (15) standard from 10mm 24mm; (10) deep from 10mm - 19mm





POWERBUILT® TOOL SETS POWERBUILT POWERBUILT[®] 152 Piece Master Mechanic's Service Tool Set

8 thru 15mm

Square: S-1, S-2, S-3

Durable Storage Case

11 pc. SAE hex key wrenches: 0.05"- 1/4"

• 11 Pc. metric hex key wrenches: 1.27 thru 6mm

• Screwdriver bits: Torx: T-10. T-15. T-20. T-25. T-27. T-30, T-40 Phillips: #0 (2 ea.), #1 (2 ea.), #2 (2

ea.), #3 (2 ea.) Flat: 1/8", 5/32", 3/16" (2 ea.),

1/4" (2 ea.), 5/16" Hex: 3/32", 1/8", 5/32",

3/16", 1/4", 3mm, 4mm, 5mm, 6mm, 7mm

- 1/4", 3/8" & 1/2" Drive 72 Tooth Quick Release 6 Pc. metric long handle combination wrenches:
- Sealed Head Ratchets
- 19 Pc. SAE sockets: 3/16" 13/16"
- 9 Pc. deep well SAE sockets: 7/32" 11/16" • 19 Pc. metric Sockets: 4 thru 19mm
- · 8 Pc. deep well metric sockets: 7 thru 15mm
- 1/4" Drive 3" Extension Bar
- 1/4" Drive Spinner Handle
- 1/4" Drive Bit Coupler
- 3/8" Drive Spark Plug Sockets: 5/8", 13/16"
- 3/8" Drive Hex Bit Sockets: 1/4", 5/16", 3/8",
- 8mm, 10mm
- 3/8" Drive Torx Bit Sockets: T-40, T-45, T-50, T-55
- 3/8" Drive Extension Bars: 3", 6"
- 3/8" F Drive x 1/4" M Drive
- Adapter 3/8" Drive Universal Joint
- 1/2" Drive 5" Extension Bar
- 1/2" F Drive x 3/8" M Drive Adapter
- 6 Pc. SAE long handle combination wrenches: 5/16" - 5/8"



POWERBUILT® 80 Piece Auto Mechanic's Service Tool Set

- 15 Pc. SAE sockets: 5/32" 3/4"
- 10 Pc. deep well SAE sockets: 7/32" 3/4"
- 18 Pc. metric sockets: 4 thru 19mm
- 13 Pc. deep well metric sockets: 4 thru 19mm
- 72 Tooth quick release sealed head ratchets
- 3" Extension bars
- · Spinner handle & bit coupler · 18 Pc. specialty tools including: star, hex, Phillips, & slotted bits
- · Durable Storage Case
- TLS 642452

\$**Q**699

POWERBUILT[®] 47 Piece 3/8" Drive **Mechanic's Tool Set**

- 12 Pt. SAE sockets: 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16"
- 6 Pt. deep well SAE sockets: 5/16", 11/32", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16"
- · 12 Pt. metric sockets: 6 thru 19mm
- · 6 Pt. deep well metric sockets: 6 thru 19mm
- · 72 Tooth quick release sealed head ratchet
- · 3" Extension bar
- · Durable storage case

TLS 642451 \$**76**99

POWERBUILT[®] 38 Piece 1/4" Drive Mechanic's Tool Set

- 6 Pt. SAE Sockets: 3/16", 7/32", 1/4", 9/32", 5/16", 11/32", 3/8", 7/16", 1/2"
- 6 Pt. Deep Well SAE Sockets: 3/16", 7/32", 1/4", 9/32", 5/16", 11/32", 3/8", 7/16", 1/2"
- 6 Pt. Metric Sockets: 4, 5, 6, 7, 8, 9, 10, 11, 12mm
- 6 Pt. Deep Well Metric Sockets: 4, 5, 6, 7, 8, 9, 10, 11, 12mm
- 72 Tooth Quick Release Sealed Head Ratchet
- 2" Extension Bar
- · Durable Storage Case



* Please note finance payments vary with every transaction, based on transaction size, prevailing rates, credit history, and other factors. Terms may also vary. All programs subject to final approval by Affiliated Financial Services



Milwaukee

POWER TOOLS

POWER BANDFILES

Milwaukee[®] M12 FUEL[™] 1/2" X 18" Milwaukee

Bandfile - Bare Tool

- POWERSTATE[™] Brushless Motor delivers the power to remove spot welds with the best-in-class material removal rate Two-Speed Settings (High 3,600 SFM/Low 1,800 SFM), Forward
- & Reverse Functionality
- Lock-On Button, Variable Speed Trigger

Tool-free 360° arm rotation

NOTE: Battery not included



Milwaukee° M12 FUEL™ 3/8" X 13" Milwaukee

Bandfile - Bare Tool

- POWERSTATE[™] Brushless Motor delivers the power to remove spot welds with the best-in-class material removal rate
- Two-Speed Settings (High 3,600 SFM/Low 1,800 SFM), Forward & Reverse Functionality
- · Lock-On Button, Variable Speed Trigger
- Tool-free 360° arm rotation

NOTE: Battery not included

MLK 2483-20



POWER RATCHETS



· Recessed head profile for access in tight spaces NOTE: Battery not included

MLK 2557-20



* Please note finance payments vary with every transaction, based on transaction size, prevailing rates, credit history, and other factors. Terms may also vary. All programs subject to final approval by Affiliated Financial Services.

RECIPROCATING SAWS

Milwaukee[®] M12 FUEL[™] Hackzall[®] Recip Saw Bare Tool

- · One-handed design provides superior control & versatility over a standard recip saw
- POWERSTATE[™] Brushless Motor supplies constant power for faster cuts and reduced heat for extended life
- Compact size allows for cutting in tight spaces, and light weight makes overhead work easier

NOTE: Battery not included MLK 2520-20

Milwaukee[®] M18 FUEL[™] Hackzall[®] Kit

- Includes M18 FUEL[™] Hackzall[®], M18[™] REDLITHIUM[™] XC5.0 Battery Pack, a M18[™] & M12[™] Rapid Charger, General Purpose SAWZALL[®] Blade and Contractor Bag
- Fast cutting, low vibration and powerful one-handed
- reciprocating saw POWERSTATE[™] Brushless Motor and
- 7/8" stroke length MLK 2719-21

10799 Milwaukee

POWER DRILLS

Milwaukee[®] 1-5/8" Electromagnetic Drill Kit Includes 1-5/8" Electromagnetic Drill Kit, Safety Strap, Lubrication Spray Bottle, Chuck Key, 3/4" Weldon to 1/2" Chuck adapter, (2) 1" retractable pilot pins and Hard

13A motor delivers fast drilling with annular

Milwauke **FINANCE IT**

Milwaukee[®] M18 FUEL[™] 1/2" Drill/Driver Kit

- Includes M18 FUEL[™] 1/2" Drill/Driver, (2) M18[™] RED LITHIUM XC5.0 Extended Capacity Batteries, Multi-Voltage Charger, Side Handle, Belt Clip, and Hard Case

Milwaukee

DEW/AL

- Batteries, (1) Battery Charger and Contractor Bag
- 2-speed 450 RPM and 1,500 RPM

Milwaukee® M12[™] Rivet Tool Bare Tool Milwaukee 450 1/8" steel rivets on 1 charge

- · Stroke length: 0.8"
- Nose pieces: 3/32", 1/8", 5/32", and 3/16"
- NOTE: Battery not included





lilwaukee

DEWAL

NEW



POWER TOOLS

3/8" POWER IMPACTS

Milwaukee[®] M18 FUEL[™] 3/8" Compact

- Impact Wrench with Friction Ring Bare Tool
- · Delivers up to 250 ft-lbs. of nut-busting torque
- 4-Mode DRIVE CONTROL[™] includes auto shut-off and bolt-removal modes

Milwaukee

- · Only 4.8" in length for access in tight spaces
- · Tri-LEDs to increase workspace visibility

 REDLINK PLUS[™] to prevent overloading or overheating NOTE: Battery not included



5**317**99

Milwaukee[®] M12 FUEL[™] 3/8[™] Right

- Angle Impact Wrench with Friction Ring Kit
- · Up to 220 ft-lbs. of Nut-busting Torque
- 4-Mode DRIVE CONTROL[™] provides greater control over output speed and power.
- · Compact design offers more access in tight spaces
- Includes: 2564-20 M12 FUEL[™] 3/8" Right Angle Impact Wrench, (2) M12[™] REDLITHIUM[™] CP2.0 Battery Pack (48-11-2420), (1) M12[™] Charger (48-59-2401), Contractor Bag

MLK 2564-22




1/2" POWER IMPACTS

Milwaukee® M18 FUEL™ w/ ONE-KEY™ High Torque Milwaukee

- 1/2" Impact Wrench with Friction Ring Kit · Delivers 1000 ft/lbs of fastening torque, 1400 ft/lbs of nut-busting torque
- · Easily toggle up to four custom performance profiles that can be saved to the memory of the tool
- ONE-KEY[™] technology allows users to customize, track and manage tool's performance and location
- Includes: M18 1/2" High Torque Impact Wrench, (2) REDLITHIUM™ batteries, M18/M12 Dual Voltage Charge and Molded Case

MLK 2863-22R



- Delivers up to 1000 ft/lbs of fastening torque, 1400 ft/lbs of nut-busting torque
- ONE-KEY[™] technology allows users to customize, track and manage tool's performance and location
- · Friction ring design ensures quick and easy socket changes NOTE: Battery not included





DEWALT° 20V MAX 1/2" High Torque Impact Wrench Kit

- Includes (1) 1/2" High Torque Impact, (1) Fast Charger, (2) 20V Li-Ion 4 Ah batteries and Kit Bag
- · 400 ft.-lbs. of maximum torque · Hog ring anvil for quick and
- easy socket changes





Power Tools

- Includes: 2550-20, (1) M12 REDLITHIUM[™]
- 2.0 Battery, (1) M12 REDLITHIUM[™] Extended Capacity 4.0 Battery M12 Charger and Carrying Case

MLK 2555-22 \$36 Milwaukee

Milwaukee[®] M18 FUEL[™] 1/2[™] Compact Impact Wrench Milwaukee with Friction Ring - Bare Tool

MARELIE

- · Delivers up to 250 ft-lbs. of nut-busting torque
- 4-Mode DRIVE CONTROL[™] includes auto shut-off and bolt-removal modes
- Only 4.8" in length for access in tight spaces
- · Tri-LEDs to increase workspace visibility
- REDLINK PLUS[™] to prevent overloading or overheating
- NOTE: Battery not included



* Please note finance payments vary with every transaction, based on transaction size, prevailing rates, credit history, and other factors. Terms may also vary. All programs subject to final approval by Affiliated Financial Services.

POWER TOOLS 3/4" POWER IMPACTS



Milwaukee[®] M18 FUEL[™] 1" D-Handle Milwaukee High Torque Impact Wrench w/ ONE-KEY[™] Kit

Milwaukee

mauk

Tilwaukee

- POWERSTATE[™] Brushless Motor delivers up to 2,000 ft-lbs. Nut-Busting Torque, Making it the World's Most Powerful Cordless Impact Wrench
- 4-Mode DRIVE CONTROL[™] provides greater control over output speed and power Unmatched Performance with the runtime to install Up To 200 1-1/4" Bolts on a
- single HIGH OUTPUT[™] HD12.0Ah battery
- (1) M18 FUEL[™] 1" D-Handle High Torque Impact Wrench w/ ONE-KEY" (2868-20), (2) M18 REDLITHIUM™ HIGH OUTPUT™ HD12.0 Battery Packs (48-11-1812), (1) M18[™] & M12[™] Rapid Charger (48-59-1808), (1) Tool-Free Adjustable Side Handle,

POWER POLISHERS

Milwaukee® M18 FUEL™ 21mm Milwaukee

- Total control in polishing and heavy correction

- Variable speed trigger for greater precision
- (1) M18 FUEL[™] 21mm Random Orbital Polisher, (1) 6" Backing Plate (49-36-0402), (2) M18 REDLITHIUM[™] HIGH OUTPUT[™]
- XC6.0 Battery Packs (48-11-1865),

Milwaukee® M18 FUEL™ 15mm Milwaukee **Random Orbital Polisher Kit**

- · Power to correct heavy defects
- 8-speed dial with RPM's ranging from
- Variable speed trigger for greater
- (1) M18 FUEL[™] 15mm Random Orbital Polisher,
- (1) 5" Backing Plate (49-36-0401),

Milwaukee® M18 FUEL™ 7" Variable Speed Polisher Milwaukee

- · Cordless portability for a faster detail
- · Variable speed dial allows for maximum
- user to precisely control
- speed from 0 rpm to dialed
- max speed setting
- MLK 2738-20

Please note finance payments vary with every transaction, based on transaction size, prevailing rates, credit history, and other factors. Terms may also vary. All programs subject to final approval by Affiliated Financial Services.

Milwaukee

MLK 2867-22

POWER TOOLS

POWER POLISHERS

- DEWALT° 7"/9" Variable Speed Polisher with Soft Start DEWALT
- · Powerful 12A motor with electronic control
- · Non-mar rubber gear case reduces surface imperfections
- 1,250 Max Watts Output
- · Wool ingestion shield increases tool life
- · Comes with Professional Velcro Polishing Pad
- No Load Speed of 0-600 / 0-3,500 RPM
- SBD DWP849X



Carquest[®] 7" Variable

Speed Electric Polisher • Spindle Size: 5/8" - 11, Variable Speed: 1,000 - 3,000 RPM



EQP 7452 \$**186**99

POWER DIE GRINDERS

Milwaukee® M12 FUEL™ 1/4" Right Milwaukee

- **Angle Die Grinder**
- 0.3 HP Motor Output, Max RPM 24,500
- 4-speed RPM control for safer operation
- · 20% more power than pneumatic • Includes: M12[™] 1/4" Right Angle Die Grinder, (2) M12 REDLITHÍUM[™] 2.0 Batteries, M12 Charger, Carrying Case, (2) Wrench

MLK 2485-22



Milwaukee[®] M12 FUEL[™] 1/4[™] Right Milwaukee Angle Die Grinder - Bare Tool

- 0.3 HP motor output, Max RPM 24,500
- · 4-mode speed control and responsive variable speed trigger
- · 20% more powerful than Pneumatic 0.25 HP die grinders

NOTE: Battery not included MLK 2485-20



POWER GRINDERS

DEWALT[®] 4-1/2" Small Angle Grinder DeWALT

With One-Touch[™] Guard

- · Includes 2-position side handle and depressed centre wheel
- One-Touch[™] Guard and hex wrench
- 7 amp AC/DC, 12,000 rpm motor designed for faster material removal and higher overload protection



Milwaukee[®] 4-1/2" Small Angle Grinder

· Featuring compact and lightweight design

- 7.0 Amp, 750 MW0 Motor
- · Built in advanced airflow system, including Debris Baffles and Multi-Port Exhaust

MLK 6130-33 \$**108**99




BENCH GRINDERS

JET° Heavy Duty Bench Grinder


- · Steel wheel covers with rear dust exhaust ports
- Eye shields and spark guards for operator safety · Includes coarse and medium grinding wheels

8" 1/2 HP JET 240154



DEWALT[®] 8" Bench Grinder **DEWALT**

- · 3/4HP 3,600 RPM induction motor
- · Rear exhaust ports in wheel guards
- · Cast iron base and motor housing
- · Precision-machined aluminum tool rests allow







MULTI-TOOL KITS

Milwaukee® M18 FUEL™ 3/8" & 1/2" Mid-Torque Impact Wrench Kit Milwaukee 3/8" Impact delivers 600 ft.-lbs.

of nut busting torque

nut busting torque

1/2" Impact delivers 650 ft.-lbs. of

lilwauke

Ппашке

- Kit includes: (1) M18[™] 3/8" Mid-Torque Impact Wrench, (1) M18[™] 1/2" Mid-Torque Impact Wrench, (2) M18[™] REDLITHIUM[™] XC5.0 Resistant Battery Packs, (1) M18[™] & M12[™] Multi-Voltage Charger
- and contractor bag Friction ring ensures quick
- and easy socket changes 4-Mode drive control
- includes auto shut-off and bolt-removal modes
- Tri-LEDs to increase workspace visibility REDLINK PLUS[™] to prevent
- overloading or overheating MLK 2988-22R

Milwaukee® M18[™] FUEL Hammer Drill/Impact Kit

- M18 FUEL[™] 1/2" Drill Driver delivers 1,400 in-lbs of torque and 2,100 RPMs
- M18 FUEL[™] 1/4" Hex Impact Driver
- delivers 2000 in-lbs of torque Includes (1) M18 FUEL[™] 1/2" Hammer Drill/Driver, (1) M18 FUEL[™] 1/4" Hex Impact Driver, (2) M18[™] REDLITHIUM[™] XC5.0 Batteries. (1) M18[™] & M12[™] Multi-Voltage Charger, Carrying Case, Side Handle and (2) Belt Clips MLK 3697-22

Milwaukee[®] M12[™] Cordless LITHIUM-ION 3-Tool Combo Kit

 Includes M12[™] 3/8" Drill/Driver, M12[™] 1/4" Hex Impact Driver, M12[™] HACKZALL[™] Recip Saw, (2) M12[™] RED LITHIUM CP1.5 Batteries, M12[™] Battery Charger, and Tool Bag

Milwaukee

- Lightweight, hex impact driver delivers 1000 in/lbs of torque and 0-2000 RPM
- Drill/driver delivers up to 275 in/lbs of torque and
- 0-400/0-1500 RPM
- Hackzall delivers 0-3,000 strokes per min and 1/2" stroke allows fast cutting

MLK 2498-23 Milwaukee

^{\$}620

* Please note finance payments vary with every transaction, based on transaction size, prevailing rates, credit history, and other factors. Terms may also vary. All programs subject to final approval by Affiliated Financial Services





maukee







SDI - STANDARD DUTY NDUSTRIAL AIR COMPRE		2-Year Warranty	
ine Part Code Number SCFM @ Max. Pressu	re HP Phase H (H	k Capacity (Gallons) loriz.) V (Vertical)	
VR IS5-10080V-03 18 SCFM @ 150 PSI VR IS5-4060-03 11.4 SCFM @ 125 PSI	5 HP 230/60/1 80G 5 HP 230/60/1 60G		
VVR IS5-5580-03 15.4 SCFM @ 150 PSI	5 HP 230/60/1 80G		
DVR IS7-10080-03 22.7 SCFM @ 150 PSI	7.5 HP 230/60/1 80G	V	
SME Approved Air Receivers, Cast Iron Compressor Imp,Totally Enclosed OSHA Belt Guard, Unloaded arting, Ball Valve Air Outlet, Splash Lubrication	* Contact your local store for pricing delivery cost, and availability	FINANCE IT	
IDI - HEAVY-DUTY INDUS PISTON AIR COMPRESSO	RS Systems 7-Year	Warranty bacity (Gallons)	
Code Number CFM@ 150 PSI H) V (Vertical)	
ailable with or without mounted and wired magnetic st	arter. * Contact your local stor		
otional constant RUN-STOP-START controls. Duplex and stom products available.	d other delivery cost, and avail	lability	
CILLA[™] AIR HOSES REELS exzilla° Open Face, Retractable Air Hose R Features all steel construction and a multi-position guide arm	eel with Hose	DVR PR-20-4 \$8499 Milton [®] ISO	VR PR-31-4 \$300 \$8499 \$300 100 Air Compressor Oil 100 Air Compressor Oil
Four-way direction rollers allows the hose to be easily pulled from '8" x 50', 1/4" NPT G L8611FZ 389 99	m the reel	32 Ounces • Maintains viscosity 20° Fahrenheit to • High oxidation res	y in the temperature range of 440° Fahrenheit
exzilla [®] Enclosed Plastic Retractable ir Hose Reel with Hose Auto Retract/Latch Hose Mechanism - Simplifies every job by keeping excess hose out of the work space		\$2299	
/8" x 50', 1/4" NPT	CONTROL PLANT	Features: all steel recoil, 5-position a	*ALL-STEEL HOSE REELS construction, spring-powered automatic adjustable outlet arm
EG L8250FZ	1.6	8-position ratchet hose length	gearing locks the reel at the desired
239999 IllaReel [™] PRO with Levelwind [™] Features a Latching Mode Switch which allows user to choose from latching the hose every 3 ft. or switching to free run Includes a 7-position locking bracket			
23999 IllaReel [™] PRO with Levelwind [™] Features a Latching Mode Switch which allows user to choose from latching the hose every 3 ft. or switching to free run	PR0 1/2" x 50', 1/4" NPT LEG L8335FZ	hose length • Ball stop included 50' x 3/8" LIN 83753	50' x 1/2"
23999 IllaReel [™] PRO with Levelwind [™] Features a Latching Mode Switch which allows user to choose from latching the hose every 3 ft. or switching to free run Includes a 7-position locking bracket RO 3/8" x 75', 1/4" NPT PRO 3/8" x 50', 1/4" NPT		hose length Ball stop included 50' x 3/8" LIN 83753 \$29999	50' x 1/2"

Plews® Tru-Flate Hybrid Air Hose Reel

- Vertical or Horizontal mount
- · Bend restrictors help keep hose from kinkings
- · Slow rewind spring helps retract air hose at a slower rate than most reels

50' x 1/4" CPM 587HR-TF **LEWS**¢ <u>1</u>99 r



and forth across the reel and the Latching Mode Switch allows user to choose from latching the hose every 3 ft. or switching to free run Includes a 7-position locking bracket

included



the built-in handle and freestanding base 350 PSI working pressure • 3 ft. lead-in hose is

· Made from durable UV stabilized polypropylene



For more information, contact your local CarQuest representative. 23

AIR HOSES/SHOP EQUIPMENT

Price

Price

Price

\$54.99

\$86.99

PLEWS

\$39.99

FLEXZILLA

AIR HOSES

Size

Size

Size

3/8" x 25'

3/8" x 50' 1/4"

3/8" x 50' 1/4"

3/8" x 25'

3/8" x 50'

1/2" x 50'

Flexzilla [®] Air He	oses	
Extreme all-weath	er flexibility (-	40° to 140°F)
Won't kink under	pressure	
	Line	Part

Code Number

HFZ3825YW2

Part

Number

575-50A

HFZP3825YW2

HFZP3850YW2

LEG

IFG

LEG

· Lighter in weight than rubber and more flexible than PVC

Line

Code

CPM

Field repairable – Reusable anodized aircraft aluminum fittings

LEG

LEG

Line Part

Code Number

Extreme all-weather flexibility (-40° to 140°F)

NPT

1/4"

1/4"

3/8"

NPT

Flexzilla[®] Pro Air Hoses

NPT

1/4"

Plews[®] Ultra Air Hybrid Air Hose · Ideal for general purpose applications

FLEXZILLA





foreign material



SHOP SEATS

DieHard[®] Toolbox Roller Seat **DieHard**

- · Maximum weight capacity: 350lbs
- · 3 drawers system with side racks for tools storage.
- · Vinyl padded seat cushion for maximum comfort and support

DieHard[®] Pneumatic Shop Seat **DieHard**

DieHard[®] Creeper Seat **DieHard**

· Maximum weight capacity 300 lbs.

· All steel construction

· Heavy-duty supports · Thick vinyl seat Large stool tray EOP DH20018

Steel frame construction

• 17"-22" height adjustment · Maximum weight capacity: 250 lbs.

· Ball bearing swivel casters · Tool tray under seat Steel construction · Full padded seat EQP DH20017 \$7699

Four 2.5" polyurethane swivel casters for easy movement





Plews[®] Polyurethane Air Hose

 Remains fle 	exible and la	ays flat at ext	remely cold temp	eratures
Size	MNPT	Line Code	Part Number	Price
1/2" x 50'	3/8"	CPM	573-50A	\$54.99

Plews[®] Rubber Air Hose

 Ideal for rug contact wit 				
Size	MNPT	Line Code	Part Number	Price
3/8" x 50'	1/4"	CPM	552-50AE	\$37.99

Plews® Nvlon Recoil Air Hose

- · Retains its self-coiling properties and stores itself when finished · Can be used with all air-powered equipment on the job site and in garages, plants and service stations
- Swivel end fittings reduce hose twist

	Size	MNPT	Line Code	Part Number	Price
	1/4" x 25'	1/4"	CPM	4-25E-TF	\$12.99

SHOP VACS

- Milwaukee® M18 FUEL™ PACKOUT™ Milwaukee
- 2.5-Gallon Wet/Dry Vacuum · Powerful suction for wet & dry applications
- 50 CFM & 47" of Suction
- · Includes 6' flexible hose, crevice tool,
- utility nozzle, and certified HEPA filter MLK 0970-20





Milwaukee® M18™ 2-Gallon Milwaukee Wet/Dry Vacuum

- · Powerful suction for wet & dry applications
- 45 CFM & 32" of Suction
- · Includes 6' flexible hose, crevice tool, utility nozzle, and certified HFPA filter



- * Please note finance payments vary with every transaction, based on transaction size, prevailing rates, credit history, and other factors. Terms may also vary. All programs subject to final approval by Affiliated Financial Services.
- Offers valid October 1, 2023 December 30, 2023 24



- · Lid equipped with fusible link for added fire safety
- 41.8 litre working capacity tank includes basket and work shelf
- · Flexible delivery spigot
- Screened inlet protects pump from
- 115 volt /60 Hz./0.5 Amp. motor

Tank dimensions: 30" W x 21" D x 36" H (open)







DieHar

DieHard

SHOP CREEPERS DieHard[®] 40" Plastic Creeper

· Six swivel casters for easy maneuverability

- · Molded storage trays on each side of creeper
- Maximum weight capacity 250 lbs.

PFT DH20016

DieHard[®] 36" 6-Caster Steel **Car Creeper**

- · Padded head rest for added comfort
- · Maximum weight capacity 250 lbs.

EQP DH20010 DieHard





DIAGNOSTIC TOOLS

Autel[®] MaxiDiag MD808 PRO Scan Tool

- · 4" 840 x 480 LED display, 400MHz Processor and rechargeable battery
- 32MB memory / Micro SD Card Slot for up to 16GB (SD Card Not Included)
- · Affordable Service / All Systems Diagnostic
- AutoVIN and AutoSCAN DTC detection
- · Read, test and Clear DTC for modules, freeze frame and live data
- Support OBDII protocols and test modes
- · OLS, EPB, SBC, SAS, BMS and DPF
- · DPF Forced Regen / Throttle Calibration
- · Set inspection 1&2 service intervals
- · I/M readiness and component testing
- FREE Lifetime Software



Autel[®] AutoLink[®] AL629 Code Reader

- 320 x 240 LED display
- OBDII 16-Pin Cable
- · Updates thru USB cable, print via PC
- Covers domestic, Asian and European Vehicle Manufacturers 1996 to present
- Auto VIN for quick DTC definitions
- · Read and erase DTCs for ABS, SRS, engine and transmission
- · Graph, record and playback live data and display freeze frame data
- I/M emissions readiness
- Support all 10 OBDII test modes
- · Enhanced Mode 6 Diagnostics
- · Tests 0² monitor, on-board monitor, component and oxygen sensor
- FREE Lifetime Software and 1-Year Warranty



AUTEL Autel[®] AutoLink[®] AL529 and AL529HD

- 320 x 240 LED display
- OBDII 16-Pin Cable
- Updates thru USB cable, print via PC
- · Covers domestic, Asian and European Vehicle Manufacturers 1996 to present
 - Enhanced Mode 6 Diagnostics
- Auto VIN for quick DTC definitions Read and erase DTCs for engine
- · Read enhanced powertrain codes on GM, Ford and Chrysler

Autel[®] AutoLink[®] AL529

AIT AI 529

Autel[®] AutoLink[®] AL529HD

- Deutsch-9 & Deutsch-6 adapters
- · Supports J1939 & J1708 HD protocols vehicle manufacturers 1996 to Present
- · Read enhanced powertrain system codes on GM/Ford/Chrysler AIT AL529HD \$ 14.099



Autel[®] AutoLink[®] AL329 Engine Code Reader One-click I/M Readiness and LED

Indicator

Warranty

· Display live and freeze frame data

Support all 10 OBDII test modes

· FREE Lifetime Software and 1-Year

- 320 x 240 LED display
- OBDII 16-pin cable
- · Updates thru USB cable, print via PC
- Covers domestic, Asian and European Vehicle Manufacturers 1996 to present
- · Auto VIN for quick DTC definitions
- · Read and erase DTCs for engine
- AIT AL329 \$**50**99 AUTEL

Autel[®] Replacement OBDII Main Cable AUTEL

· Compatible with MaxiSYS tools using the MaxiSYS-VCI, MaxiTPMS tools, and newer AutoLINK tools

AIT AUTELMAIN-CABLE



Launch CReader VII with Full Colour LCD Screen

· Read & clear OBD-II trouble codes, view and graph live data in full colour, perform oil service light resets and more

Special tests include: I/M Readiness, MIL Status, O2 Sensor, EVAP System, Vehicle Info, Code Look-Up and On-Board Monitor Test

LCH 301050139 LAUNCH

LAUNCH J-Box 3 LAUNCH

- **Pass-Though Reprogramming**
- · Works with all OEM J-2534 applications, also supports both J2534-1 and J-2534-2
- · Supported BUS Protocols: CAN/ISO 15765/GMLAN, 2nd CAN (Dual or Single Wire), Ford SCP (J1850PWM), GM Class2 (J1850VPW), Chrysler SCI (J2610), KWP2000 (IS09141/14230)
- Compliant to SAE J2534 (Feb 2002), SAE J2534-1 (Dec 2004) and ISO 22900-1 MVCI Physical Layer
- Vehicle Applications: GM's Tech 2 WIN and GDS2, Toyota Tech stream, VW/Audi ODIS,

BMW ISTA, Jaguar Land Rover IDS, Honda HDS

LCH 301020526





LAUNCH[®] TABLETS LAUNCH

Launch X-431 Throttle III

- OE-level U.S. vehicle coverage as well as Asian, European coverage from 1996 and newer
- Optional ADAS calibration application to calibrate LDW, RCW, AVM, NV, BSD and ACC system accurately.
- OE-Level bi-directional functionality
- Support communication protocols CAN/CAFD/DoIP and automotive communication standards J/D-PDU/RP1210
- TECH 2 TECH remote diagnosis and technician collaboration
- · Auto Detect VIN to access to vehicle info within seconds
- · OE vehicle approved Security Gateway access by FCA certified
- Code Assist by Identifix, access most common fixed and repair solutions with corresponding DTC
- Topology module mapping overview virtually the all-systems communication status
- LCH 301180833
- * Contact your local store for
 - **FINANCE IT** pricing and availability

Launch X-431 Pad II AE


- IP65 (Protected from dust and low water pressure from any direction), drop-tested Android[™] based
- scan tool tablet 10.1" IPS touch screen
- · Auto-ID all available vehicle systems and modules Graphs Live Data Stream for 15 PIDs at once-all in color

LCH 301180411

* Contact your local store for pricing and availability FINANCE IT



UNCH



· Tests O² monitor, on-board monitor, component and 0² sensor • FREE Lifetime Software and 1-Year Warranty

display freeze frame data

Support all 10 OBDII test modes

One-click I/M Readiness and LED Indicator

· Graph, record and playback live data and



OAO IM -----

Please note finance payments vary with every transaction, based on transaction size, prevailing rates, credit history, and other factors. Terms may also vary. All programs subject to final approval by Affiliated Financial Services.





AUTEL

DIAGNOSTIC TOOLS

Autel[®] MaxilM IM508 Key Programming Tablet AUTEL

- 7" Touchscreen Android-Based Tablet
- Powerful Key Programming & IMMO Functionality
- All Systems Vehicle Diagnostics
- Read PIN/CS (all key lost) , key generation, key learning, remote learning
- Internal reliable 32GB Memory

· Comprehensive Service Menu Includes the XP200 Key & Chip Programming

- Around 4.5 hours of continuous use, Ambient
- light sensor for brightness auto changing
- · Includes 1-Year Software Updates and Warranty



AIT IM508 109999

Autel® MaxiCheck MX808 AUTEL

- 7" 1024px x 600px LCD touch screen, 4.4 Android OS, WiFi, 1.6 GHz Quad-Core processor and 500 mAH lithium-polymer battery
- OBDII 16-Pin Cord
- 32GB SSD memory
- · Graph, record and playback live data and view freeze frame data
- · MaxiSYS Suite Applications: MaxiFIX · Auto VIN and Auto SCAN technology to read,
- test and clear DTC for all modules
- Support OBDII protocols and test modes
- OLS, EPB, SBC, SAS, BMS, DPF, TPMS, IMMO · Set inspection 1 & 2 service intervals

· I/M readiness and component testing


• FREE 1-Year Software and 1-Year Warranty

AIT MX808 °569%

AUTEL® MAXISYS ACCESSORIES AUTEL

Autel[®] MaxiFlash Xlink

- · Equipped with a 4-inch LCD touchscreen for easy operation
- · Automatic software updates for uninterrupted use and support · Can be used for both client-side (technician or vehicle) and expert-side (programmer
- with OE software or diagnostician) to provide remote programming and diagnostics · Supports D-PDU, J2534, and RP1210 diagnostics protocols for a wide range of
- vehicles compatibility
- Supports DoIP, CAN, and CAN FD protocols to ensure coverage of the latest vehicles





8P1210

Autel[®] MaxiFlash VCI Kit

- · Compatible with the MaxiSYS MS909 advanced diagnostic tablet
- · Supports CAN FD, 4 CAN Channels, D-PDU, IS 022900-1 and ISO 22900-2 protocols and is RP1210 compliant
- Can be used with Windows computer with applicable OE subscription for vehicle module programming and when
- connected to the MaxiSYS MS909 tablet for compatible BMW and Mercedes vehicle module programming
- Includes a bluetooth-enabled vehicle communication interface (VCI), a J2534-compliant pass-thru programming device, Autel Main Cable V2.0, USB 2.0 cable, and AC/DC adapter

AIT MFVCIKIT

AUTEL[®] MAXISYS SCANNERS AUTEL

Autel[®] MaxiSYS MS909

- 9.7" Touchscreen (1536px x 2048px)
- Android 7.0
- 2.3GHz+1.7GHz Octa-core Processor / 128GB Memory
- 15000mAh 8hrs Continuous Operation / 16MP Rear Camera & 5MP Front Camera Repair Assist: Guided Procedures with DTC Analysis & Fault Code Solutions
- · Topology Mapping: All System Module Status Screen (on equipped vehicles)
- · Relevant Cases: Troubleshooting with Real Fix References / Repair Tips Video Library
- · Includes MaxiFlash VCI with J2534, RP1210, ISO 22900, D-PDU,
- DoIP/CAN FD & Mega CAN Protocols FREE 1-Year Software and 1-Year Warranty

AIT MS909

- * Contact your local store for pricing and availability
- **FINANCE IT**

Autel[®] MaxiSYS Ultra

- 12.9" Touchscreen (2732px x 2048px) / Android 7.0
- 2.3GHz+1.7GHz Octa-core Processor / 256GB Memory
- 18000 MAH battery for 8 hours continuous operation / 16MP Rear camera and 5MP front camera
- · Repair Assist: Guided Procedures with DTC Analysis & Fault Code Solutions
- · Topology Mapping: all system module status screen (on equipped vehicles)
- Relevant Cases: Troubleshooting with real fix references / Repair tips video library
- Split screen display to view multiple functions at once
- ADAS Calibration software capable
- Includes Advanced VCMI Converged VCI and Oscilloscope · Includes connector kit, carry case and 1 Year warranty and software subscription
- AIT MSULTRA
- * Contact your local store for pricing and availability

FINANCE IT

* Please note finance payments vary with every transaction, based on transaction size, prevailing rates, credit history, and other factors. Terms may also vary. All programs subject to final approval by Affiliated Financial Services.

AUTEL® TABLET ACCESSORIES AUTEĽ

- **Autel® Total Care 1-Year Software Updates
- · Extends software subscription for additional 12 months
- · Ensures tablet has latest vehicle coverage,: Make, Models and Years
- · No-Cost Battery and/or Tablet Replacement (excludes misuse and loss/theft)

				auton.
Compatible Tablets	Line Code	Part Number	Price	(C) 101/
Tablets	Coue	Fart Number	FILCE	
MS905	AIT	MS9051YRUPDATE	\$829.99	
MS906BT	AIT	MS906BT1YRUPDAT	\$829.99	
MS906P	AIT	MS906P1YR	\$849.99	
MS906T	AIT	MS906T1YR	\$869.99	
MS906TS	AIT	MS906TS1YRUPDAT	\$899.99	
MS908S	AIT	MS9081YRUPDATE	\$899.99	
MS908P, MS908SP	AIT	MS908P1YRUPDATE	\$1299.99	
MSElite	AIT	MSELITE1YRUPDAT	\$1399.99	
MSULTRA	AIT	MSULTRA1YRUP	\$1999.99	





For more information, contact your local CarQuest representative.







DIAGNOSTIC TOOLS

AUTEL[®] MAXISYS SCANNERS AUTEL

Autel® MaxiSys MS906PRO Diagnostic Tablet

- · High-powered eight-inch advanced diagnostic tablet · Expanded software and cloud-based data and repair services
- · Octa-core processor
- Android 7 operating system
- · Access comprehensive repair information
- · Performs advanced diagnostics, including coding
- and adaptations
- 128 GB of memory
- · Conduct battery and electrical system analysis and ADAS calibrations

AIT MS906PR0

40099

FINANCE IT

Autel® MaxiSYS MS906PR0-TS Diagnostic Tablet

- · Advanced diagnostic tablet for U.S., Asian and European vehicles, 1996 and newer
- · Complete TPMS servicing: Activate/read all known sensors, diagnose system, program
- 1-Sensor, relearn sensors 8-inch Wireless Touchscreen tablet with embedded antenna
- Bluetooth-enabled MaxiSYS VCI200
- Octa-Core Processor/128 GB memory/4 GB RAM
- · Read/Erase Codes, View Freeze Frame and Live Data
- · Performs all system scan with ADAS identification/Customizable Pre & Post scans
- Bi-directional control capability including Active test/Performs coding and adaptations
- AIT MS906PROTS



- Autel[®] MaxiSYS MS919 • 9.7" Touchscreen (1536px x 2048px) / Android 7.0 OS
- · 2.3GHz+1.7GHz Octa-core Processor / 128GB Memory
- 15000mAH battery -8hrs Continuous Operation / 16MP Rear & 5MP Front Cameras
- · Repair Assist: Guided Procedures with DTC Analysis & Fault Code Solutions
- Topology Mapping: All System Module Status Screen (on equipped vehicles)
- · Relevant Cases: Troubleshooting with Real Fix References / Repair Tips Video Library
- Includes Advanced VCMI Converged VCI and Oscilloscope
- FREE 1-Year Software and 1-Year Warranty



AIT MS919

* Contact your local store for pricing and availability

FINANCE IT

Autel[®] Tesla Diagnostic Adapter Cables AUTEL

- · Diagnostics cable kit for Tesla S and X model vehicles
- · Compatible with Autel MaxiSYS tablets
- · Cable LAN001: Connects to Tesla port X861 to activate Factory Mode
- Connects to Tesla port X863 for diagnostics
- · Cable CAN001: For diagnostics of post-2015 vehicles Connects to Tesla port X437
- · Cable CAN002: For diagnostics of pre-2015 vehicles
- · Diagnostics cable kit for Tesla S and X vehicle models
- · Set of three cables enables MaxiSYS tablet to connect with Tesla S and X vehicles to activate factory mode and perform system diagnostics



Autel[®] Tesla 3 and Y-Compatible AUTEL **Adapter Cable**

- · Diagnostics adapter for Tesla 3 and Y models
- Compatible with Autel Ultra series tablets
- Connect to vehicle and Autel VCI to read live data on 12 systems
 - · Enables the ability to read and erase codes on Tesla 3 & Y models
 - · Connection instructions included
- One Year Limited Warranty

AIT TESKIT3Y

\$**2/1**99



AUTEL® MAXISYS EV SCANNERS AUTEL

Autel[®] MaxiSYS MS909EV

- · Advanced diagnostics for U.S., European and Asian electric, gas and diesel, and hybrid vehicles
- · Rapid analysis of EV high-voltage system including ability to read and erase codes and view live data Comprehensive diagrams of high-voltage system block, components and sockets;
- Step-by-step system disassembly instructions
- 9.7" Touchscreen (1536px x 2048px)
- 2.2GHz + 1.8GHz Octa-core Processor / 128GB Memory
- 15000mAh 8hrs Continuous Operation / 16MP Rear Camera & 16MP Front Camera
- Repair Assist: Guided Procedures with DTC Analysis & Fault Code Solutions
- · Topology Mapping: All System Module Status Screen (on equipped vehicles)
- Relevant Cases: Troubleshooting with Real Fix References / Repair Tips Video Library
- Includes MaxiFlash VCI, and EVDiag Box
- FREE 1-Year Software and 1-Year Warranty



AIT MS909EV

* Contact your local store for pricing and availability

FINANCE IT

Autel[®] MaxiSYS Ultra EV

- · Advanced diagnostics for U.S., European and Asian electric, gas and diesel, and hybrid vehicles
- Rapid analysis of EV high-voltage system including ability to read and erase codes and view live data
- Comprehensive diagrams of high-voltage system block, components and sockets;
- Step-by-step system disassembly instructions
- 12.9" Touchscreen (2732px x 2048px)
- 2.3GHz+1.7GHz Octa-core Processor / 256GB Memory
- 18000 MAH battery for 8 hours continuous operation / 16MP Rear camera and 5MP front camera
- Repair Assist: Guided Procedures with DTC Analysis & Fault Code Solutions
- · Topology Mapping: all system module status screen (on equipped vehicles)
- · Relevant Cases: Troubleshooting with real fix references / Repair tips video library
- Split screen display to view multiple functions at once Includes Advanced VCMI Converged VCI, Oscilloscope,
- and EVDiag Box
- FREE 1-Year Software and 1-Year Warranty



FINANCE IT

* Please note finance payments vary with every transaction, based on transaction size, prevailing rates, credit history, and other factors. Terms may also vary. All programs subject to final approval by Affiliated Financial Services.



DIAGNOSTIC TOOLS/TPMS SERVICE

Autel[®] EV Diagnostics Upgrade Kit AUTEL

- · Includes EVDiag Box, testing software, and adapters for specific vehicles to enable testing of electric vehicle battery packs
- EVDiag Box is compatible with the MaxiSvs Ultra.
- MaxiSys Ultra ADAS, MaxiSys MS919, and MaxiSys MS909



HEAVY-DUTY SERVICE

Autel[®] MaxiSys CV Commercial Vehicle Diagnostics AUTEL MaxiSys CV

- 10" 1024 x 768 LCD touch screen. 4.0 Android OS.
 SAE J1939 and SAE J1708 WiFi, 1.4 GHz Quad-Core processor and 11,000 mAH lithium-polymer battery
- · Deutch 6-pin and 9-pin and probe set
- · 32GB SSD memory
- · 5-megapixel camera with flashlight
- J2534 MaxiFlash Elite
- MaxiSYS Suite Applications: MaxiFIX, Shop Manager and Remote Support
- Covers Class 1-9 Commercial Vehicles

- · Auto VIN and Auto SCAN technology
- Access repair records and test data
- 9 service reset features
- Class 1-9 reset diesel emissions · Access all modules in all systems
- · Bi-directional control
- · Advanced coding and adaptations
- FREE 1-Year Software and 1-Year Warranty

Coverage: Agrale, Aisin, Allison, Autocar, Bendix, Boschauto, Capacity, Caterpillar, Cummins Detroit, Dodge, Eaton, Fiat, Ford, Foton, Freightliner, GMC, Great Wall, Hino, Hyundai, International, Isuzu, Iveco, Kenworth, Kia, Mack, Mercedes-Benz, Mitsubishi Fuso, MTU, MWM, Nissan, Paccar, Peterbilt, Power Stroke, Renault, Setra, Sterling, Toyota, UD, Volkswagen, Volvo, Wabco, Western Star, Workhorse, ZF Meritor

AIT MS908CV

* Contact your local store for pricing and availability

FINANCE IT

Autel[®] MaxiSYS MS909CV Commercial AUTEL **Vehicle Diagnostics Tablet**

- 9.7" Touchscreen (1536px x 2048px) / Android 7.0 OS
- · 2.3GHz+1.7GHz Quad-core Processor / 128GB Memory
- 15000 mAH battery / 16MP Rear Camera & 16MP Front Camera
- · Intelligent Diagnostics with Module Topology on Select Vehicles and Enhanced AutoSCAN / VINScan and DTC Analysis / Repair Guided Assist
- Topology Mapping: All System Module Status Screen (on equipped vehicles)
- ADAS Calibration with new Class 6-8 Dynamic Calibration, Supporting Class 3-5 Complete ADAS Coverage
- · Includes MaxiFlash VCI with J2534 & MaxiBAS B200 Device
- FREE 1-Year Software and 1-Year Warranty



* Contact your local store for pricing and availability

AIT MS909CV

FINANCE IT

Launch Millennium HD Pro LAUNCH

- For gasoline vehicles (I/M Readiness, O2 sensor test and EVAP test), Read and Clears DTCs, Reads Vehicle Information, and Graphic Display
- For heavy duty vehicles (J1708 AND J1939) Read and Clears DTCs, and Data Stream
- · Supports Caterpillar Coverage
- · Supports regen command for most makes and models · Includes 6 pin, Type II 9 PIN, and 16 pin adapters
- Free lifetime updates
- LCH 301050372





Diagnostic Tools/TPMS Service

TPMS SERVICE

Autel[®] MaxiTPMS[®] TS608 Tablet

Complete TPMS and All Service Tablet with Bluetooth° VCI

- 7" 1024 x 600 touch screen, 4.4.2 Android OS, WiFi, 1.6 GHz Quad-Core processor and 5,000 mAH lithium-polymer battery
- · 32GB SSD memory / 32GB SD Card memory (not included)
- · Bluetooth MaxiVCI Mini
- · MaxiSYS Suite Applications: MaxiFIX, Shop Manager and Remote Support
- TPMS: Read and activate 315 MHz and 433 MHz sensors: On-tool relearn procedures: 4 MX-Sensor programming options; Detect and display TPMS system faults; Read and clear OBDII codes and sensor info; Adjust tire size placard values
- Service Features: Read and clear trouble codes; Control and test ABS, SRS, EPB and DPF (diesel particulate filter service); Set inspection 1 and 2 service intervals; View and graph live freeze frame data; Test O² monitor, on-board monitor, component and I/M readiness
- Diagnostics: Read and clear codes for all modules; Supports all 10 OBD-II test modes; Open and close EPB pads for service; Diagnose EPB and SBC caliper functions; Reset steering angle sensors (SAS)
- Kit includes charging cord, and carry case
- · FREE 1-year software updates



AIT TS608

Autel® MaxiTPMS ITS600Pro TPMS Tablet

- 5.5-inch, wireless touchscreen Android tablet
- · Complete TPMS service tool
- · All system diagnostics and service functions
- · Activates, Reads and Reads All Known Sensors
- Rapid VIN Acquisition Via Optical VINscan Function

AIT 700150

AIT TS408

* Please note finance payments vary with every transaction, based on transaction size, prevailing rates, credit history, and other factors. Terms may also vary. All programs subject to final approval by Affiliated Financial Services.



Autel® MaxiTPMS® TS408 Kit

- · Water resistant 320 x 240 LED display and 3200 mAh lithium-polymer battery
- · Includes USB cable, charging cord, magnet and carrying case MX-Sensors
- · Updates via USB Cable, print via PC
- · Read and activate 315 MHz and 433 MHz sensors
- On-tool relearn procedures
- · 3 MX-Sensor programming options
- · Displays sensor ID, battery condition and Psi
- FREE Lifetime Software and 1-Year Warranty


















WHEEL BALANCERS



Corghi EM9250-2D Wheel Balancer CompactLine

- Version with automatic input
- of wheel diameter and distance
- · LED illuminator and laser line for easy adhesive counterweight application
- · FSP-Smart Arm/automated balancing mode selection
- COR EM9250-2D

* Contact your local store for pricing and availability **FINANCE IT**

Max Rim Diameter: 10" - 28" External Max Wheel Width: 23.6" Max Tire Diameter: 44"

Max Rim Diameter:

Max Rim Diameter:

Corghi EM9550-3D В Wheel Balancer LaserLine

- Version with automatic input of
- HI wheel diameter, distance and width
- · LED illuminator and laser line for easy adhesive
- counterweight application
- · FSP-Smart Arm/automated balancing mode selection
- COR EM9550-3D * Contact your local store for pricing and availability
- 10" 28" External Max Wheel Width: 23.6" Max Tire Diameter: 44" **FINANCE IT**

Corghi EM9780C Wheel Balancer AutomaticLine

· Radial and Lateral diagnostic modes

- Touchscreen interface
- · Contactless detection of dimensions
- COR EM9780C
- * Contact your local store for pricing and availability

FINANCE IT



Corghi Artiglio 500-BP **Tire Changer** Leverless

- Centre-post Leverless Tire Changer HINH designed for all vehicle applications · Dynamic bead breaking device with dual bead breaker discs · Machine designed for perfect ergonomics and versatility
- Integrated wheel lift
- COR ARTI500-BP

* Contact your local store

for pricing and availability

FINANCE IT

* Please note finance payments vary with every transaction, based on transaction size, prevailing rates, credit history, and other factors. Terms may also vary. All programs subject to final approval by Affiliated Financial Services.

- Corghi A9222TI-DV-SX1 Tire Changer with Swing Arm
- · 2 speed Inverter Motor
- · Pneumatic bead presser to maintain bead in drop centre
- · Turntable with two pneumatic cylinders capable of securely clamping all types of rims · Monoblock clamping jaws for best long term performance and durability COR A9222TI-DV-SX1
- * Contact your local store for pricing and availability

Corghi A9824TI-DV-1000 Tire Changer with Swing Arm

- · 2 speed Inverter Motor
- · Pneumatic bead presser to maintain bead in drop centre
- Turntable with two pneumatic cylinders capable of securely clamping all types of rims · Lateral adjustment of bead breaker pad
- · Monoblock clamping jaws for best long term performance and durability
- COR A9824TI-DV-1000 * Contact your local store for pricing and availability

Corghi A222TI-DV-300 Tire Changer with Swing Arm

- · 2 speed Inverter Motor
- · SP300 helper makes mounting and demounting operations quicker, more precise and safer
- · Turntable with two pneumatic cylinders capable of securely clamping all types of rims
- · Monoblock clamping jaws for best long term performance and durability

COR A222TI-DV-300

* Contact your local store for pricing and availability

A9222TI-DV-SX1

- CORGHI Max Rim Width: 3.5"-12.5" Max Tire Diameter: 39.5" Air Pressure: 145 lbs A9824TI-DV-1000 G A222TI-DV-300

Max Rim Diameter: 10"-22" Max Rim Width: 3.5"-12.5" Max Tire Diameter: 42" Air Pressure: 150 lbs.

CORCHI

CORGI

FINANCE IT

FINANCE IT

Max Rim Diameter: 10"-24" Max Rim Width: 3.5"-14" Max Tire Diameter: 47" Air Pressure: 150 lbs.

FINANCE IT

BUY NOW

PAY LATER

LEASE TO OWN AND DON'T PAY FOR 90 DAYS*

Max Rim Diameter: 10"-22"

Max Rim Diameter:

12" - 32" External

Max Wheel Width: 15"

Max Tire Diameter: 47"

& TIRE CHANGER



John Bean[®] B200S Semi-Automatic Monitor Wheel Balancer

- SMARTSONAR[™] Automatic rim width detection
- · Quick Nut Wheel Clamp Easy to use manual clamping device
- · Hand-operated gauge arm with easyALU[™] assisted rim data entry for diameter and distance

JBN EEWB556AS

JBN EEWH595AUA

IBN FFWH589AUA

* Contact your local store for pricing and availability FINANCE IT

* Contact your local store for pricing and availability FINANCE IT

· Integrated pressure limiter stops air flow once pressure has reached 55 PSI

* Contact your local store for pricing and availability FINANCE IT

· Twin cylinder clamping provides uniform clamping pressure and increased power

M John Bean[®] System III Tire Changer with Swing Arm

John Bean[®] System II Swing-Arm Tire Changer M

- Swing-arm, compact footprint
- Twin cylinder clamping
- · Adjustable on-floor bead breaker shovel
- Integrated pressure limiter
- · Self-centering, adjustable clamping jaws

· Adjustable four-jaw clamps grip securely and protect the wheel

· Extra wheel protection to minimize wheel scratching.

Max Rim Diameter: 10" - 24' Max Wheel Width: 12" Max Tire Diameter: 40"

John Gern

RC-55 Rim Clamp[®] Tire Changer

COATS[®] RC SERIES

virtually all OE fitments

tabletop motor

Available with air or electric

· Designed to work on a wide variety of applications, including

with Robo-Arm, Electric **FINANCE IT** COA 8560995001

* Contact your local store for pricing and availability

Coats[®] 9028E FOALS Tilt-Back Tire Changer

- · Angled tilt-back for no interference on second bead removal
- Clamps Wheels Externally Up To 28
- · Power taper rollers, pneumatic drop center, and swing-in rollers handle approximately 90% of the effort
- · Protect Rims with the Cam Bead Loosener

Max Rim Diameter: 10" – 28" External Max Rim Width: 14" Max Tire Diameter: 47"

coats

Max Rim Diameter:

10" - 24" External,

Max Rim Width: 10.5"

Max Tire Diameter: 50"

FINANCE IT

COA 8009028

* Contact your local store for pricing and availability FINANCE IT

Hunter SmartWeight[®] HUNTER **Elite Wheel Balancer**

- · SmartWeight® Elite measures rim runout with every spin
- With TruWeight[®] Weight Selection the rim is scanned and 3D modeled with every spin
- Touchscreen intuitive interface
- · Ensure proper centering with patented automatic CenteringCheck*
- Maximize efficiency using enhanced
- Max Rim Diameter: SmartWeight® technology
- True self-calibration with patented eCal auto-calibration
- 10" 30" External Max Rim Width: 1.5" - 20.5" Max Tire Diameter: 44"
- HNT SWE12
 - * Contact your local store for pricing and availability FINANCE IT

* Please note finance payments vary with every transaction, based on transaction size, prevailing rates, credit history, and other factors. Terms may also vary. All programs subject to final approval by Affiliated Financial Services.

For more information, contact your local CarQuest representative. 31



Max Rim Diameter: 10" - 24"

Max Wheel Width: 15"

Max Tire Diameter: 50"

Max Wheel Width: 15" Includes set-up and training by a Max Tire Diameter: 42' Authorized Coats Service Centre **H** RC-45E Rim Clamp^{*} Tire Changer Electric COA 8560994901 * Contact your local store for pricing and availability

John Rean

Max Rim Diameter: 8" - 32"

EEWB543AW





John Bean[®] 9800 Heavy-Duty Wheel Balancer

- · Designed to balance truck, bus, RV and automobile wheel and tire assemblies · Pneumatic wheel lift aids in the proper wheel mounting and reduces related strains
- caused by lifting heavy tires · Semi-automatic data entry inputs wheel diameter and distance utilizing the inner auto-assist data input arm, eliminating errors
- · Operator can recalibrate the balancer in two easy steps, ensuring accuracy while saving costly service calls.

JBN EEWB543AW

* Contact your local store for pricing and availability



Max Rim Diameter: 8" – 30" External Max Rim Width: 26" Max Tire Diameter: 51"

Max Rim Diameter: 10" - 30"

Max Rim Width: 20" Max Tire Diameter: 38"

BUY NOW

PAY LATER

LEASE TO OWN AND DON'T PAY FOR 90 DAYS*

HUNTER SMARTWEIGHT® PRO HUNTER WHEEL BALANCERS

- · Hunter's wheel balancers feature patented SmartWeight® technology built to improve balance, minimize weight usage and maximize productivity
- Hunter wheel balancers are HunterNet[®] 2 capable, allowing you to track and manage your data from results to revenue to return on investment

B SmartWeight[®] Pro SWP77

HammerHead® Top-Dead-Center Laser
 Connected to HunterNet® 2

- HNT SWP77
- * Contact your local store for pricing and availability **FINANCE IT**

C SmartWeight[®] Pro SWP78

· HammerHead® Top-Dead-Center Laser

Wheel Lift System

- HNT SWP78
- * Contact your local store for pricing and availability FINANCE IT

SmartWeight[®] Pro SWP97

- · HammerHead® Top-Dead-Center Laser
- · Speedclamp for faster wheel mounting and setup
- * Contact your local store for pricing and availability FINANCE IT

SmartWeight[®] Pro SWP98

- · HammerHead® Top-Dead-Center Laser
- · Wheel Lift System
- * Contact your local store for pricing and availability FINANCE IT
- · Speedclamp for faster wheel mounting and setup
- · Connected to HunterNet® 2

Hunter Road Force[®] Elite Wheel Balancer

- Perform a Road Force[®] test and balance faster than any traditional balancer
- Eliminate error opportunities with the patented vision system
- Solve vibration problems and provide the "new car ride" using the diagnostic load roller
- Ensure proper centering with patented automatic CenteringCheck*
- Maximize efficiency using SmartWeight* technology
- · True self-calibration with patented eCal autocalibration

HNT REF00

* Contact your local store

for pricing and availability

Max Rim Diameter: 10" - 30" External Max Rim Width: 1.5" - 20.5" Max Tire Diameter: 40"

HUNTEF

FINANCE IT

SWP97 SWP98 F RFEOO ui +++

* Please note finance payments vary with every transaction, based on transaction size, prevailing rates, credit history, and other factors. Terms may also vary. All programs subject to final approval by Affiliated Financial Services.

· Connected to HunterNet® 2

· Connected to HunterNet® 2













400 D EEWB562AL

JOHN BEAN® WHEEL BALANCERS

G John Bean[®] B1200P Fully Automatic Wheel Balancer

- easyWEIGHT[™] pinpoint laser identifies exact weight placement location for increased accuracy and efficiency
- Quickbal™ optimizes the number of revolutions according to each wheel's specifications while always operating at maximum speed and reducing cycle time
- Patented automatic Power Clamp[™] electromechanically clamps the wheel accurately with constant force, reducing the opportunity for chasing weight Smart Sonar[™] automatically calculates wheel width and detects offset; balancing cycle starts as soon as the
- wheel guard is lowered · Laser scanner automatically detects the number and position of rim spokes for the system to indicate weight

placement behind wheel spokes and allow for split weights

JBN EEWB567AP230 * Contact your local store for pricing and availability

H John Bean[®] B600P General Service Wheel Balancer

- · Touchscreen with advanced user interface for easy mode selection and built-in LED rim lighting system aids rim cleaning and weight positioning
- · easyWEIGHT[™] pinpoint laser identifies exact weight placement location for increased accuracy and efficiency
- easyALU[™] uses the gauge arm to enter rim dimensions and automatically selects the weight balancing mode
- · Patented automatic Power Clamp[™] electromechanically clamps the wheel accurately with constant force, reducing the opportunity for chasing weight
- Smart Sonar[™] automatically calculates wheel width and detects offset; balancing cycle starts as soon as the wheel guard is lowered

IBN FFWB568AP

FINANCE IT * Contact your local store for pricing and availability

John Bean[®] B800P Wheel Balancer

- · Intuitive Interface clearly marked with picture icons
- · Torque-controlled Power Clamp device fast and accurate clamping of the wheel
- · Stop-in-Position feature where the operator only has to touch the amount of unbalance on the screen and the wheel is automatically indexed to the correction position
- QuickBal for reduced measurement time
- Short start-stop cycle time: 4.5 seconds (15" rim)
- JBN EEWB569AP
- * Contact your local store for pricing and availability

John Bean[®] B400L Wheel Balancer

- · easyWEIGHT[™] pinpoint laser identifies exact weight placement location for increased accuracy and efficiency
- easyALU[™] uses the gauge arm to enter rim dimensions and automatically selects the weight balancing mode · Smart Sonar[™] automatically calculates wheel width and detects offset; balancing cycle starts as soon as
- the wheel guard is lowered
- QuickBal for reduced measurement time
- · Short start-stop cycle time: 4.5 seconds (15" rim)

JBN EEWB562AL

* Contact your local store for pricing and availability

FINANCE IT

FINANCE IT

* Please note finance payments vary with every transaction, based on transaction size, prevailing rates, credit history, and other factors. Terms may also vary. All programs subject to final approval by Affiliated Financial Services.

Max Rim Diameter: 8" - 32" External Max Wheel Width: 21"

Max Tire Diameter: 42"

Hunter Road Force[®] **Elite Wheel Balancer**

- **BUY NOW PAY LATER** LEASE TO OWN AND DON'T PAY FOR 90 DAYS*
- Perform a Road Force[®] test and balance faster than any traditional balancer
- · Automatically measure wheel dimensions with the patented vision system · Solve vibration problems and provide the "new car ride" using the
- diagnostic load roller Ensure proper centering with patented automatic CenteringCheck[®]
- · Maximize efficiency using SmartWeight® technology
- True self-calibration with patented
- eCal auto-calibration
- HammerHead[®] laser projects laser lines on the rim flange for precise clip-weight application
- · Wheel lift system helps safely service oversized
- light-truck and medium-duty wheels

HNT RFF12

* Contact your local store for pricing and availability FINANCE IT

Max Rim Diameter: 10" - 30" External Max Rim Width: 1.5" - 20.5" Max Tire Diameter: 40"



Tire Service

Max Rim Diameter: 8" - 32" External Max Wheel Width: 21" Max Tire Diameter: 42"

Max Rim Diameter: 10" - 32" External

Max Wheel Width: 23.6"

Max Tire Diameter: 44"

Max Rim Diameter:

14" - 26" External Max Wheel Width: 20"

Max Tire Diameter: 42"



Corghi EM9380EC Wheel Balancer SmartLine

- · Version with automatic input of wheel diameter, distance and width
- Weight Management Program
- Touchscreen interface
- · Equipped with power clamp
- Power requirements 120V/1PH/60 HZ

COR FM9380FC-TOUCH

- * Contact your local store
- for pricing and availability

FINANCE IT

Max Rim Diameter: 10" - 28" External Max Wheel Width: 23.6" Max Tire Diameter: 44"

Max Rim Diameter:

Max Rim Width: 2" - 16"

Max Tire Diameter: 38"

Max Rim Diameter:

8" – 30" External

Max Rim Diameter:

8" – 30" External

Max Rim Width: 2" - 20"

Max Tire Diameter: 44"

Max Rim Width: 2" - 20"

Max Tire Diameter: 44"

10 - 30" External

NEW

7, I HHHHH

COATS® WHEEL BALANCERS coats

Coats[®] 1185 110V Wheel Balancer

- · Laser line weight placement guidance Easily visible laser line helps operators place weights right where they are needed.
- Colour LCD Display Vivid color display alerts operator to the imbalance location and identifies the optimal tape on or clip weight location
- · Live position indexing guidance Audio and graphics-based notifications alert operator when weight placement is needed
- 110V power, can be plugged in anywhere
- 130 Lbs max assembly weight
- Space saving design

COA 8001185

* Contact your local store for **FINANCE IT** pricing and availability

c 1600 Wheel Balancer

with Direct Drive and Pro Balance™ Technology

- Offers all of the 1500 features and adds ProBalance Technology™
- Calculates precise corrective weight amounts and placement locations, and a touchscreen display

COA 80016003D

* Contact your local store for **FINANCE IT** pricing and availability

1500 Wheel Balancer

- with Direct Drive
- · Powered by Direct Drive, the motor and spindle are combined into a single assembly that always stays calibrated to zero
- Laser Guided Operation calculates precise corrective weight amounts and placement locations
- $\mbox{Static-On-Screen}^{\circ}$ simultaneously displays both static and dynamic unbalance data
- Stop & Lock assembly locks in place at proper weight placement location
- 8 Balancing modes and automatic 3-D data entry
- COA 80015003D
- * Contact your local store for

FINANCE IT pricing and availability

1300 Wheel Balancer

with Direct Drive

- STATIC-ON-SCREEN® simultaneously displays both static and dynamic unbalance data
- · 2D AUTOMATIC DATA ENTRY Offers automatic data entry of distance and diameter
- BEHIND-THE-SPOKE mode allows you to hide the Tape-A-Weight behind the spokes of a decorative wheel quickly and easily

COA 80013002D

* Contact your local store for FINANCE IT pricing and availability

E 885 Wheel Balancer

- · Automatic 2D data entry on wheel diameter and offset measurement
- · Direct Tape-A-Weight[®] placement with audible beep guides users to perfect placement
- Auto Start Hood starts balancing cycle when hood is lowered
- COA 800885


* Please note finance payments vary with every transaction, based on transaction size, prevailing rates, credit history, and other factors. Terms may also vary. All programs subject to final approval by Affiliated Financial Services.

* Contact your local store for pricing and availability

Max Rim Diameter: 8" – 30" External Max Rim Width: 2" – 20" Max Tire Diameter: 44"

Max Rim Diameter: 10" - 30" External Max Rim Width: 2" - 16" Max Tire Diameter: 38"











HUNTER TIRE CHANGERS HUNTER

A Hunter TCX51C Center-Clamp Tire Changer

- FastBlast[™] inflation system
 - PowerOut $^{\scriptscriptstyle \rm M}$ bead breaker shovel

220V 2-Speed Power

- · Standard polymer head Bead press system with locking
- lower demounting disk

Manual swing arm

HNT TCX51C

* Contact your local store for pricing and availability FINANCE IT

B Hunter TCX58 Electric Tabletop Changer

- · Designed with truck and SUV service in mind, the new top-side blast inflation system is optimized to seat even the most difficult tires
- Additional capabilities include automatic swing-arm and patented bead press system
- Bead press system with top side blast inflation, two choices of traditional tool

head, press shoe with integrated hook, and locking lower demount disc

HNT TCX58

FINANCE IT Contact your local store for pricing and availability

Hunter TCX59 Electric Leverless Tabletop C

- Changer
- · Designed with truck and SUV service in mind, the new top-side blast inflation system is optimized to seat even the most difficult tires
- Additional capabilities include automatic swing-arm, fast and easy leverless tool head and patented bead press system
- Bead press system with top side blast inflation, press shoe with integrated hook, and locking lower demount disc
- HNT TCX59
 - FINANCE IT * Contact your local store for pricing and availability

Hunter Maverick[™] Tire Changer

- · Fully variable responsive hydraulic controls
- SmartSet[™] leverless head
- InflationStation[™] fills tires quickly to correct pressure
- · RollerLock[™] clamp handles multiply clamping force and prevents centre bore damage
- Bead press arm
- HNT TCM
- * Contact your local store for **FINANCE IT** pricing and availability

Max Rim Diameter: 10" - 34" External Max Rim Width: 19" Max Tire Diameter: 50"

Max Rim Diameter:

10" - 30" External

Max Rim Width: 14"

Max Rim Diameter:

10" - 26" External

Max Rim Width: 14"

Max Rim Diameter: 10" – 26" External

Max Rim Width: 14"

Max Tire Diameter: 45"

Max Tire Diameter: 45"

Max Tire Diameter: 44"

Hunter 20-2045-1 Tire Changer HUNTER Wheel Lift Kit

- Kit is for TCX500 family (TCX500, TCX505, TCX515, TCX535), TCX50 family (TCX50, TCX51, TCX53), and TCX57 family (TCX56, TCX57) tire changers
- HNT 20-2045-1
- * Contact your local store for **FINANCE IT** pricing and availability

COATS[®] MAXX SERIES **COALS**

- · Dual nozzle, hi-flow bead sealing system
- · Expanded capacity to 16" wheel width and up to 50" total diameter
- · Advanced bead loosening option
- · Steel and nylon duckhead included
- · No-index table top for high efficiency use

70X Maxx Tire Changers

E COA 800MAXX70 Electric (110v) Contact your local store for pricing and availability **FINANCE IT**

E COA 800MAXX70220 Electric(220v) Contact your local store for pricing and availability

FINANCE IT

Rim Diameter: 16" - 24" External, Max Rim Width: 16"

Max Tire Diameter: 50"

80X Maxx Tire Changers

· Dual control, hand or foot operated bead loosener system · Included storage cabinet



COA 800MAXX80220 Electric(220v) Contact your local store for pricing and availability **FINANCE IT**

* Please note finance payments vary with every transaction, based on transaction size, prevailing rates, credit history, and other factors. Terms may also vary. All programs subject to final approval by Affiliated Financial Services.

36 Offers valid October 1, 2023 - December 30, 2023



TIRE SERVICE









COATS TIRE CHANGERS **COALS**

G Coats[®] 80C Center Post Tire Changer Electric

- · Brand-new centre post design for ease of use and minimized metal-to-metal contact
- Available in rugged 220V, 2hp electric motor or air powered
- · Redesigned RoboRoller® device for direct pressure on tough assemblies
- · Standard auxiliary bead sealer system COA 80080CEH220

10" - 30" External Max Wheel Width: 15" **FINANCE IT** Max Tire Diameter: 50"

* Contact your local store for pricing and availability

H Coats[®] 90C Leverless Tire Changer[™]

- Center Clamp Design for quick, easy operation while minimizing risk of wheel damage · Leverless Duckhead® mount/demount tool acts as a traditional helper device and eliminates
- traditional tire tools that can mar the surface due to application difficulty RoboRoller[®] provides additional power when mounting difficult tires by Max Rim Diameter:
- preventing the bead from rolling back over the mount tool
- COA 80090CEH220
- * Contact your local store for pricing and availability

Coats[®] APS 3000 Leverless Tire Changer

- · Leverless Duckhead[®] bead lifter eliminates traditional tire tools that can mar the surface due to application difficulty
- Robo-Arm[®] helper device assists in efficiently changing low profile or run flat tires
- · Integrated wheel lift helps to lift heavy assemblies reducing both damage risk to expensive wheels and back strain
- · Two-speed electric motor provides total control with the option to maximize shop efficiency based on application difficulty
- · Individually operated power rollers provide easy bead loosening and assistance with mounting also demounts lower bead without a tire tool
- Center post design with smart lock allows for fast
- and easy wheel clamping COA 800APS3000

Max Rim Diameter: 12" - 34" External Max Rim Width: 16" Max Tire Diameter: 47"

Max Rim Diameter:

10" - 30" External

Max Rim Width: 15"

Max Rim Diameter:

10" - 24" External

Max Wheel Width: 15"

Max Tire Diameter: 50"

Max Tire Diameter: 40"

Contact your local store for pricing and availability FINANCE IT

JOHN BEAN® TIRE CHANGERS

John Bean[®] T7800 Leverless All-In-One Tire Changer

- POWERMONT[™] leverless mounting and demounting tool synchronizes with the dynamic bead breaker location for optimum positioning
- OUICKLOK[™] electromechanical device firmly clamps onto wheel without the need for wheel protection
- PROspeed[™] technology automatically optimizes the torque applied to the wheel and sets the maximum rotation speed
- Lower bead camera provides a clear view on the control panel monitor
- for lower bead breaking
- JBN EEWH586AUC
- * Contact your local store for pricing and availability FINANCE IT

K John Bean° T1545T Swing-Arm Tire Changer With PROspeed™

- Patented PROspeed[™] technology optimizes the torque applied to the wheel and automatically sets the maximum rotation speed of the wheel
- Column Integreated Air Tank
- Adjustable four-jaw clamps
- Twin cylinder clamping
- JBN EEWH581AU1
- Contact your local store
- for pricing and availability FINANCE IT

■ John Bean[®] T2545T Swing Arm Tire Changer with PROspeed[™]

- · Adjustable four-jaw clamping provided by self-centering nylon-covered clamps and twin-cylinder clamping power for uniform pressure around the rim
- · Traditional on-floor bead breaker shovel with rim protector
- · Pneumatic bead assist provides single-operator assistance in mounting/demounting process
- · PROspeed[™] technology automatically optimizes the torque applied to the wheel and sets the maximum rotation speed
- Integrated pressure limiter stops the air flow once tire pressure reaches 55 PSI to prevent accidental over-inflation
- JBN EEWH590AUB

Max Rim Diameter: 8" - 24" External Max Wheel Width: 15" Max Tire Diameter: 53"

* Contact your local store **FINANCE IT** for pricing and availability

* Please note finance payments vary with every transaction, based on transaction size, prevailing rates, credit history, and other factors. Terms may also vary. All programs subject to final approval by Affiliated Financial Services

coats

12" - 30" External Max Wheel Width: 15"

Max Tire Diameter: 50"

Max Rim Diameter:

BUY NOW

PAY LATER

LEASE TO OWN AND DON'T PAY FOR 90 DAYS*

TIRE SERVICE



Offers valid October 1, 2023 - December 30, 2023

TIRE SERVICE G V2180 -

John Bean[®] V2180 Imaging Wheel Aligner

- · Advanced notification system provides critical information without slowing down the alignment process, automatically detecting and compensating suspension stress issues or environmental errors, only notifying the technician when necessary to provide additional information for corrective action
- · Video-speed cameras constantly monitor the alignment and provide critical information throughout the process; patented VODI[™] (Vehicle Orientation Directional Indicator) guides measuring process and reduces trips from vehicle to aligner
- · Streamlined rotating camera beam design for greater flexibility in smaller shops
- · Enhance productivity and cut down on unnecessary steps with an intelligent, predictive alignment workflow that simplifies the alignment process

Lisle

JBN EEWA542TH3 * Contact your local store for pricing and availability

FINANCE IT

- BRAKE BLEEDING Mityvac[®] Pressure Bleed System
- · Includes seven (7) master cylinder adapters to connect to most domestic, import and
- Euro cars and light trucks Large 5 litre fluid capacity
- · Fluid is dispensed under pressure for smooth continual flow
- Utilizes push-to-connect, quick-change style accessory connections



Mityvac[®] Automotive Test & Brake Bleed Kit

 Includes a comfortable ergonomic handle design, one-finger lever vacuum release, includes durable, accurate gearless diaphragm style vacuum gauge with pinned connection for 360° rotation, field serviceable - service parts and kits available



Lisle[®] Brake Bleeder Kit

- Plastic bottle collects discharged fluid, (3) separate adapters fit the common bleeder screws
- \$**10**99 LST 19200



Milton[®] Inflator Gauges

 Full swivel dual head chuck with 15" hose
 Range: 10–160 PSI MIL \$506

MILTON

Milton[®] Single Head Dial Gauge

- Range: 0–60 PSI · Includes deflator valve
- · Single head chuck
- **MIL S932**

VILTON

Milton[®] EXELAIR[™] Digital Pistol Grip **Tire Inflator/Deflator Gauge**

- · Measures in kPa, kg/cm2, and Bar; Meets ANSI/ASME B40.1 standard
- Auto-on when tire pressure is detected
- · Clip directly to tire valve to adjust pressure for easy inflation
- · Includes pistol grip gauge, boot, half-pull deflate, hose, easy-clip chuck and hang loop



Milton° EXELAIR[™] 5-in-1 Digital Tire Gauge Auto Emergency Tool

- · Features include: emergency glass-breaker hammer · Includes an automatic shut (retractable), safety seatbelt-cutter, LED flashlight, red warning light, and tire pressure gauge
 - off to preserve battery life Pressure range 0 to 100 PSI

MILTON

MIL EX999005



Milton° EXELAIR[™] Analogue Pistol Grip Tire Inflator/ Deflator Gauge - 13" Air Hose and Easy-Clip Chuck

- Pre-calibrated; 4 units of measure: PSI (0-150), kPa (0-1000), kg/cm2(0-10) + Bar (0-10)
- Steel inflation trigger with deflate button in case of overshot tire pressure
- Clip directly to tire valve to adjust pressure for easy inflation with 1 hand
- Includes gauge, rubber boot, deflate button, 13" hose, easy-clip chuck (for standard/schrader valves), hang loop

MIL EX0500P

Milton[®] EXELAIR[™] Digital Tire Tread Depth Gauge MILTON

- Digital display is easy to read
- Zero setting in any position
- · Measurement range of 0 to 1 inch (0 to 25 mm) · Includes automatic shut off to preserve battery life
- MIL EX448DIG





Gauge 20-120 PSI **MIL S925**

S**O**99

Pressure Gauge 20-120 PSI **MIL S927**

* Please note finance payments vary with every transaction, based on transaction size, prevailing rates, credit history, and other factors. Terms may also vary. All programs subject to final approval by Affiliated Financial Services.

5 - 50 PSI

MIL S921

\$099





2-POST SERVICE LIFTS			
Atlas [®] Platinum PVL10 Overhead Lift	BUY NOW PAY LATER	A ATEAP-PVL10-PD	
A o Devel 40 000 Lb	Rise: 81-1/2" Overall Height: 135-7/8" Overall Width: 139-7/8" Drive Through: 99-1/2" Arm Reach MinMax.: Front: 22"- 43-1/2" Rear: 35"- 58"		
B Atlas [®] Platinum PVL12 Overhead Lift 2-Post 12,000	.b. ATTI AC		
 Commercial Grade Extra Tall & Extra Wide Adjustable Height 165" or 177" 3-Stage Symmetric Arms Automatic Arm Restraints "Padded" Shut-Off Bar DOV ATEAP-PVL12-PD * Contact your local store for pricing and availability 	n Carriage	B ATEAP-PVL12-PD	
Forward Lift* F10 10,000 lb. Lift Features 3-stage front arms for Symmetric and Asymmetric lifting 2-stage rear arms Low 3-5/8" adapter height Direct pull cylinders	÷.		
Closed loop hydraulic system Includes 3-1/2", and 5" adapter extensions Available in red and blue OVV F10 Contact your local store for pricing and availability FINANCE IT	Rise: 76" Overall Height: 143" Overall Width: 131" Drive Through: 99" Arm Reach: 24-1/2" - 44-3/8"	© F10	
Rotary ^e SP010 Symmetrical 10,000 lb. Ince symmetrical column design Standard 2-stage arms with flip-up FA adapters One-piece columns have a "Double S" design for max strength Available in Red or Blue OV SP010 * Contact your local store for pricing and availability FINANCE IT	Rise: 78-1/8" Overall Height: 140-1/2" Overall Widh: 137-1/2" Drive Through: 102-1/2" Front Arm Reach: 31"-54" Rear Arm Reach: 31"-54"		FIRWARG
 Rotary[°] SPOA10 Asymmetric 10,000 lb. True asymmetric design rotates the columns 30° allowing vehicle doors to open fully 		D SP010 & SP0A10	B SPOA10RA
 Standard 2-stage arms with flip-up FA adapters One-piece columns have a "Double S" design for max strength Available in Red or Blue DOV SPOA10 	Rise: 78-1/4" Overall Height: 140-1/2" Overall Width: 137-3/8" Drive Through: 95-1/4"	ALL	3-Stage Trio Arms Front Range: 24" - 40-3/4"
* Contact your local store for pricing and availability	Front Arm Reach: 24" - 40-3/4" Rear Arm Reach: 40-1/4"- 61"		Front Range: 24" - 40-3/4" Rear Range: 40-1/4" - 61"
With 3-Stage Trio Arms • All the features of the SPOA10 but with round polymer pad RA adapters which thread-up to allow protection of the vehicle underbody components • Available in Red or Blue	Rise: 78-1/4" Overall Height: 140-1/2" Overall Width: 137-3/8"		

LIFTING & SUPPORT Lifting & Support 2-POST SERVICE LIFTS EELR537A BUY NOW F John Bean[®] EELR537A PAY LATER 12.000 lb. LEASE TO OWN AND DON'T PAY FOR 90 DAYS* · Superior symmetric two post lifting · Heavy-duty two stage front and rear lift arms · Insert adjustable screw lifting pads with rubber contact surface for quick and easy vehicle setup · Rubber door guards secure against door to column damage · Single point safety lock release system · Padded overhead safety shut off bar for improved vehicle clearance Rise: 78-1/8" Overall Height: 175" Overall Width: 139-3/4" JBN EELR537A Drive Through: 103" * Contact your local store for **FINANCE IT** Arm Reach: 35-3/4"- 54-1/2" John Gern pricing and availability 🕞 Rotary" Heavy Duty Symmetric 🛛 💦 💦 💦 G SP012-TA 12,000 Lb. Lift · Truck adapters with stackable inserts for added reach #SP012XX • Front and rear 3-stage arms · Available in alternate height configurations Rise: 80" Overall Width: 137" Overall Height: 164" Drive Thru Clearance: 102" Arm Reach Min.-Max.: DOV SP012-TA Includes Screw-Up Front: 27"- 59" * Contact your local store for Stack Adapter Rear: 27"- 59" **FINANCE IT** pricing and availability Coats[®] 2-in-1 Two Post Lift 10,000 lb. Rotar Three piece, offset 2 in 1 Arms front and rear for asymmetric and symmetric loading Non Fatigue Cables and Pulleys · Up to 20% heavier than many competitors for a stronger and more stable structure **4TV21NSR1** (H) · Steel components are wheel-a-brator shot blasted and acid washed before "double bake" powder coat finish is applied Rubber door bumpers are mounted on the face of both lifting carriages to reduce door damage · Rubber mounting grommets reduce unit noise to less than 75 decibels Rise: 76" Overall Width: 135-1/2" Overall Height: 138" COA 4TV21NSR1 Drive Thru Clearance: 112-3/4" * Contact your local store Arm Reach Min.-Max.: for pricing and availability coats Front: 19-3/4" - 42" **FINANCE IT** Rear: 35"- 60" 🚺 John Bean[®] EELR532A **D** EELR532A Jaha Been 10.000 lb. · Vehicles can be positioned and lifted symmetrically or asymmetrically · Power column can be arranged on either the driver or the passenger side · Vehicle protection with padded overhead shut off Rise: 77-3/4" Overall Height: 147-1/2" Overall Width: 131-3/4" Drive Through: 98-3/8" JBN EELR532A John Been Front Arm Reach: 21-3/4"- 39-1/4" * Contact your local store for **FINANCE IT** Rear Arm Reach: 38-1/4"- 55-3/8" pricing and availability

LIFTING & SUPPORT

4-POST SERVICE LIFTS

John Bean[®] 15K 4-Post Lift

15.000 lb.

- · Extended rear column drive-on clearance allows dual-wheel trucks to drive on without interference
- · Ultra-low-profile allows "easy-on" approach angle for low-profile vehicles, lowered height just 8"
- · Extra-long 100" rear slip plates for improved 4-wheel alignment capability for long and short wheelbase vehicles
- · Open front cross beam allows easy access to service areas for hassle-free adjustments and repairs
- · Ultra-wide ramps with anti-slip textured surface ramps
- · Cartridge-based locking and cable brake system for ease of maintenance

Rise: 78" Overall Length: 277" Overall Width: 142" Drive-On Clearance: 120" Runway Width: 26"



FINANCE IT

JBN EELR506APKG * Contact your local store for pricing and availability



CPS[®] MAXXAIR R-134a A/C Service System CDS[®] A

- 7" Color touch-screen control panel
- · Optional maximum load up to 100 kg
- · Refrigerant Management System monitors filter life and refrigerant usage
- · Quickly access all functions from the main screen
- · Home Screen features 5 Selectable Functions along with touch keys and information icons Refrigerant Charging Screen with interactive touch pad and port selection, database, and
- change UOM touch keys
- · Supports multiple languages/UOM
- · Hose management built into the handle assembly
- 12.67cc Oil-less Compressor: designed and built by CPS for high capacity commercial applications, eliminates failure issues due to improper oil filling of traditional compressors
- · Motor-controlled ball valves: opens wider for greater flow, resistant to clogging of debris or sealants, faster recovery and tank fill
- 30 lbs Tank
- CPS MX134
- * Contact your local store for pricing and availability

CPS[®] MAXXAIR R1234yf A/C Service System CDS[®]

- 7" Color touch-screen control panel
- · Optional maximum load up to 100 kg
- · Refrigerant Management System monitors filter life and refrigerant usage
- · Quickly access all functions from the main screen
- Home Screen features 5 Selectable Functions along with touch keys and information icons
- · Refrigerant Charging Screen with interactive touch pad and port selection, database, and
- change UOM touch keys
- · Supports multiple languages/UOM
- · Hose management built into the handle assembly
- 12.67cc Oil-less Compressor: designed and built by CPS for high capacity commercial applications, eliminates failure issues due to improper oil filling of traditional compressors
- Motor-controlled ball valves: opens wider for greater flow, resistant to clogging of debris or sealants, faster recovery and tank fill
- 30 lbs Tank **CPS MX1234**
- * Contact your local store for pricing and availability **FINANCE IT**

C CPS° MAXXAIR R-134a/R-1234yf CDS° A/C Service System

- One machine covers both R-134a and R-1234yf
- 7" color touch screen control panel
- · Patented motor-controlled ball valves
- · Patented oilless compressor
- · Displays max load up to 220 lbs. (100 kg)
- · System monitors filter life and refrigerant usage
- Comes standard with a 30 lb. recovery tank, a 6 CFM vacuum pump, and a built-in database · 1-2-5 Warranty - 1 year parts and labor, 2 years parts and 5 years on the compressor

CPS MX3030

FINANCE IT * Contact your local store for pricing and availability

* Please note finance payments vary with every transaction, based on transaction size, prevailing rates, credit history, and other factors. Terms may also vary. All programs subject to final approval by Affiliated Financial Services.



- · Stainless Steel Radius Gauges
- · Rear Slip Plates
- Compatible With The New Technology Alignment Systems On The Market Today





Dual Function Sentinel Lock[™] System

Contact your local store for pricing

· Single Piece Non-Welded Runway With Tracks For

Air Filter/Regulator/Lubricator

Rolling Jacks

Internal Airline

Rise: 78.3/4" Overall Length: 253"

DOV ARO14L

Overall Width: 140"

Runway Width: 20"

and availability

FINANCE IT

Drive Through: 116 1/4'





UView LeakGuard[™] A/C Sealer Refill Cartridges

- · Professional A/C Stop Leak
- · Permanently seals leaks
- Meets SAE J2670 A/C additive standard
- · Safe for all A/C systems
- · Contains concentrated A/C dye occur over a 6-12 month period
- SAE certified will not harm A/C equipment

1 oz UVW 480301 **Liview**







Wiew

240 mL UVW 488100P

Universal Pag Oil with Dye

UVW 488016P 355mL \$7299 Wiew

Universal Ester Oil UVW 488016E 355mL

\$**75**99 Wiew PAG 46 Oil with A/C ExtenDye™ 236mL UVW 488046PBD





A/C & SERVICE SYSTEMS LEAK DETECTION KITS

UView Spotgun[™] Injection System Kit with A/C ExtenDye[™]

 Kit includes Spotgun[™] injector with R-12 and R-134a adapters (1) 240 mL ExtenDye[™] dye

cartridge & OEM approved dve

- Service stickers Hybrid safe
- · Services up to 64 Vehicles



Uview Spotgun[™] R-12/R-134a and R-1234yf Oil Injection Kits

- · Pull the trigger to inject a precise amount of oil into the A/C system and you're done
- Allows for compliance with J2788 or J2843 SAE standards (separate oil injection)
- · Excellent for use with SAE certified A/C equipment
- R-12 and R-134a Compliant with J2788
- Kit includes Spotgun[™] injector
- · R-12 and R-134a adapters
- PAG 46 oil cartridge 240 mL

UVW 481500



R-1234yf Compliant with J2843

- Kit includes Spotgun[™] injector
- · R-1234yf adapters
- PAG 46 HFO oil cartridge 240 mL



Uview Spotgun R-1234yf Injection Kit

- All UView A/C Dyes are Certified to Meet SAE J2297 for use in R-134a/PAG and R-1234yf/PAG systems
- · Services up to 64 vehicles
- · Includes: Spotgun injection gun, R-1234yf adapter, A/C ExtenDye cartridges (8 oz/240 mL), service stickers



UV Phazer[™] BLACK Leak Detection Light

- · Powerful, true UV LED illuminates up to 11X brighter
- · 400nm wavelength fluorescence dyes brighter
- · Provides more contrast than blue light, making leaks easier to identify
- · Adjustable lens allows quick scan for larger leaks, or a concentrate of
- light for hard to find smaller leaks. · A compact housing allows for access into tight spaces
- Includes: Set of AAA Batteries and Yellow Inspection Glasses



UView UV Phazer NEO[™] UV Leak Detection Light Kit

- High output UV LED with true UV fluoresces dyes brighter than blue LED lights and features adjustable lens focus, which allows for focusing light intensity
- · Rechargeable Li-Ion battery for years of trouble free battery life
- · Includes battery charger and UV enhancing glasses





Wiew

Wiew

BARREL AND HAND PUMPS

FILL-RITE FILL-RITE° Rotary Vane Hand Pump 6 Gallons per 100 Revolutions

- · 2" NPT threaded bung adapter
- 1" polymer suction pipe adjusts for 15 to 55 gallon drums · Pumps medium-viscosity oils, diesel fuel, and non-corrosive fluids



FILL-RITE[®] Rotary Series 10 GPM Pump FILL-RITE

- · Fits drums, totes and barrels
- Vacuum breaker included
- · Cast aluminum housing
- 2" NPT bung mount

TUT FR112

FILL-RITE[®] Piston Action Hand Pump

- with Hose and Nozzle, 20 gallons per 100 strokes. · Aluminum body with stainless steel liner.
- · Anti-siphon valve.
- · Pump can be set-up for reverse flow

TUT FR152

ILL-RITE

LINCOLN[®] Barrel Pump

- Removable, non-drip spout allows for threaded hose connection
- · Telescoping pick-up tube for 15 to 55-gallon drums
- Three-tier, threaded bung fits standard 2" and 1.5" drums

LIN 1340

Plews[®] Heavy-Duty Barrel Pump

- · Includes standard bung adapter
- · Two piece telescoping suction tube fits 30 to 55 gallon drums
- · Dispenses approximately 10 oz. of fluid per stroke

CPM 55-123

Plews[®] Manual Pail Pump

- For 5 gallon/35 lb. pail
- · Self priming
- · Delivers 3 oz. per stroke
- · Complete with 4 ft. oil-resistant hose and drum pail cover
- · Fits open head pails/drums

CPM 55-440

Fluid Transfer Pump Kit

· Includes 2 intake/discharge hoses, 2 intake/discharge hose connectors, inline reducer, air pressure hose, and dipstick hose



* Please note finance payments vary with every transaction, based on transaction size, prevailing rates, credit history, and other factors. Terms may also vary. All programs subject to final approval by Affiliated Financial Services.







Wiew

Wiew

OIL/LUBE SERVICE MITYVAC® FLUID EXTRACTOR SYSTEMS



- · Max flowrate of 8GPM
- · 30-minute duty cycle
- · Suction lift of 6'
- EPDM seals
- 115V AC DEF Pump Only

TUT DF120N

12V DC DEF Pump Only

TUT DF012N

TRANSFER PUMPS

FILL-RITE[®] 12V DC Heavy-Duty Transfer Pump FILL-RITE

15 GPM With Hose and Automatic Nozzle

- Cast-Iron Construction durable cast-iron construction provides heavy-duty performance and withstands daily use in mobile tank applications
- · Easy Installation adjustable electrical junction box rotates 180° for added flexibility while wiring and improved installation in tight spaces
- · Long Life thermally-protected motor prevents overheating, ensuring your pump withstands the test of time



FILL-RITE[®] 12V DC Transfer Pump

- **15 GPM With Hose and Manual Nozzle** Includes pump, 3/4" manual nozzle, 3/4" x 12' hose with static ground wire, 18' battery cable and 20" - 34" steel telescoping suction pipe
- Built-in strainer
- · 2" threaded base for tank mounting
- 1/4 HP motor
- · Compatible with diesel, gasoline, kerosene, E15 and biodiesel up to B20

TUT FR1210H **NQ**99

TRANSFER PUMPS

FILL-RITE[®] 12V DC High Flow Transfer Pump FILL-RITE

- 20 GPM With Hose and Manual Nozzle
- Includes pump, 1" manual nozzle, 1" x 12' hose with static ground wire, 18' battery cable and
- 20" 34" telescoping suction pipe Built-in strainer
- · 2" threaded base for tank mounting
- Compatible with diesel, gasoline, kerosene, E15 and biodiesel up to B20

TUT FR4210H \$88999

FILL-RITE[®] 115V AC Direct Drive **Heavy-Duty Transfer Pump**

- · Heavy-duty switch and built-in check, bypass, and pressurerelief valves
- Thermal overload protector
- · Includes UL Listed 3/4" x 12' hose and manual nozzle • 1" female NPT on suction pipe/2" male NPT on bung inlet,
- 3/4" NPT outlet
- Tank adapter. Full 1/3-HP 115-Volt AC/60Hz motor
- 5.5-Amp, 1725 RPM TUT FR700V \$110999

FILL-RITE[®] 115V AC Transfer Pump FILL-RITE

- **15 GPM With Hose and Manual Nozzle** · Includes pump, 3/4" manual nozzle, 3/4" x 12' UL hose with static wire, 20" - 34-1/2" steel telescoping suction pipe, and elbow
- Built-in check valve and strainer
- Self-priming
- Compatible with diesel, gasoline, kerosene, E15 and biodiesel up to B20

TUT FR610H \$82

FILL-RITE[®] 12V DC Transfer Pump

- **13 GPM With Hose and Automatic Nozzle** • Includes pump, 3/4" automatic nozzle, 3/4" x 10' hose with static wire, 15' 12-gauge 2-wire battery cable, 5' ground wire, 15-
- 1/4" 29-1/4" 2-piece polypropylene suction pip and elbow
- 1/4 HP motor
- Compatible with diesel, gasoline, kerosene E15 and biodiesel up to B20

FILL-RITE[®] 901 4-Digit Mechanical Fuel Transfer Meter

- · Flow ports can be positioned vertically or horizontally
- This meter has a 1 in. inlet and outlet package fittings to install
- in the 4200 Series pump
- UL/cUL listed





LINCOLN **Digital Oil Meter**

- Includes a 13" flexible extension and nozzle
- · 8 GPM, measures in pints, quarts, gallons, litres



5**99**95



FILL-RITE





Reliable On/Off Switch - on/off switch lever features a cast metal stopping arm, preventing premature failure from repeated use



FILL-RITE






Equipment Safeguard - built-in strainer filters out particulates and prevents fuel contaminates from damaging your equipment

- - Built-in strainer
 - · 2" threaded base for tank mounting

FILL-RITE













LIGHTING/TRAILER & TOWING

LED WORKLIGHTS

Cliplight HEMI Series CLIPLIGHT

- · Unique hemispherical lens design provides a super-wide 70° clean, powerful beam with no hot spots or halos
- · Sliding hooks and magnet (optional) allow highly flexible positioning in engine compartment or work area
- · Easy to replace lens shield protects lens and LEDS, replaces in minutes
- · Built Shop Tough with a no-slip grip and recessed on/off switch
- · 10 plus years of reliable performance

Cliplight LED Rechargeable HEMImini[™]

- Super bright and compact light runs for 4 hours at 1000 lumens or for a full 8 hours at 500 lumens
- · Powered by a single advanced LED and a smart lithium ion battery. Includes mini-USB charger





BAYCO NIGHT STICK

HEMIPLUS[™] 2 Rechargeable Worklight

- Rechargeable LED worklight that runs 8+ continuous hours at 600 lumens and 4+ hours with a full 1200 lumens of brightness
- · Powered by two high-powered LEDs and a lithium ion battery charged by mini USB



Bayco[®] Nightstick Xtreme Lumens **Rechargeable LED Worklight Red**

- · Dual-brightness 600/225 lumens
- · 3 integrated magnets and detachable magnetic hook
- · Lithium-ion rechargeable battery
- · Includes both AC and DC power supply / charger

BAY NSR2168R



Bayco[®] 2-in-1 Rechargeable BAYCO **LED Worklight**

with Spotlight in Handle

- · Includes (2) built-in magnets and detachable magnetic hooks
- · Flat bottom design allows the light to stand up



Cliplight Spotlight Mini CCLIPLIGHT

- 600 and 300 Lumens rechargeable · 2,600 mAh Li-ion battery
- . 5 hour to 3 hour run time



- Grote[®] BriteZone[™] LED Work Lamps · Rugged, durable construction for use in all kinds of tough conditions
- · Sizes and brightness to meet your needs
- Round 1600 Lumens Slim - 1400 Lumens ITG B7101-5 ITG B7301-5

20

- Square 1100 Lumens
- LTG BZ201-5

Cliplight Clipstrip[™] Array LED Pocket Light · Includes pivoting magnetic clip and 3 AAA batteries Yellow SWL 111112



* Please note finance payments vary with every transaction, based on transaction size, prevailing rates, credit history, and other factors. Terms may also vary. All programs subject to final approval by Affiliated Financial Services.

16 GA / 25'

18 GA / 25'

18 GA / 25'



CURT[™] Echo Mobile Trailer Brake Controller

- · Bluetooth connection to control all brake settings from your smartphone
- · Zero-tool, plug-and-play install between vehicle-trailer 7-way connectors
- · Stores multiple vehicle-trailer profiles

TOW 51180 \mathbf{R}



HOPKINS[®] Agility[™] Proportional Brake Control HOPKINS"

- · Plug-In simple[®] connection allows for quick installation
- and removal
- · Percentage of braking power shown in a digital LED display
- 8-brake capacity

HPK 1200472094

Hopkins[®] Reliance[™] Plug-In Simple![®] Brake Control

- Controls up to 4 trailer brakes Time-based braking
- Percentage of braking power shown Limited Lifetime Warranty
- · Plug In Simple Feature





\$7599

HOPKINS[®] Impulse[™] Digital Brake Control

- · Plug-In simple[®] connection allows for quick installation and removal
- · Percentage of braking power shown in a digital LED display
- 6-brake capacity HPK 1200472035



HOPKINS Hopkins[®] Brake-Force[™] Brake Control

- Plug-In Simple[®] connection allows for quick installation and removal
- · LED indicator shows braking intensity
- 4-brake capacity

HPK 1200472025

WIRING ACCESSORIES

Grote General Purpose Thermo Plastic Wire

- 100% copper Temperature rating -40°C to 80°C
- Single conductor PVC jacket resists grease, oil, gasoline, acids & other abrasive materials
- Used for automotive, truck & marine applications Line Part Gauge/Length Colour Code Number Price 10 GA / 25Red ITG 89-5000 \$16.99 12 GA / 25' LTG 89-6000 \$10.99 Red 12 GA / 25' Black ITG 89-6002 \$10.99 12 GA / 100 Red LTG 87-6000 \$36.99 87-6002 \$36.99 12 GA / 100 Black LTG 14 GA / 25' LTG 89-7000 \$7.99 Red 14 GA / 25' Black LTG 89-7002 \$7.99 14 GA / 100 Red ITG 87-7000 \$24.99 14 GA / 100 Black LTG 87-7002 \$24.99 14 GA / 100 LTG 87-7007 White \$24.99 16 GA / 100 ITG 87-8000 \$17.99 Red 16 GA / 100' LTG 87-8002 \$17.99 Black

LTG

LTG

ITG

Red

Red

Black

89-8000

89-9000

89-9002

\$5.99

\$4.99

\$4.99









CLIPLIGHT

Small Round - 1240 Lumens

LTG BZ111-5



TRAILER & TOWING

Grote Medium Duty Backup Alarm

• 97dB Surface mount LTG 73040

\$**26**99

Fits 2" wide





CURT[™] Straight-Tongue Coupler with Posi-Lock 3,500 Lbs.

- Passes SAE-684 performance testing as a class 2 coupler
- · Spring and nut posi-lock mechanism allows for easy adjustment
- · Constructed from die-cut, punched out steel





CURT[™] Universal Trailer Coupler Lock SCURT Fits most couplers

· Prevents trailer ball from being inserted into the couple · Protected by a durable hammer-tone epoxy finish



TOW 23659 <u>799</u>

CURT[™] CLASS 3 TRAILER HITCHES SCURT

Class 3 Trailer Hitch, 2" Receiver, Select Silverado, Sierra 1500

- · Rated to 6,000 lbs. gross trailer weight and 600 lbs. tongue weight · Compatible with weight distribution hitch
- (10,000 lbs. WD / 1,000 lbs. WDTW)
- · Tested for safety in accordance with SAE J684
- · Co-cured in a rust-resistant liquid Bonderite coating

TOW 13301



Class 3 Trailer Hitch, 2" Receiver, Fits Select Toyota RAV4

- · Rated to 3,500 lbs. gross trailer weight and 525 lbs. tongue weight
- Compatible with weight distribution hitch (4,000 lbs.WD / 525 lbs.WDTW)
- Tested for safety in accordance with SAE J684 · Co-cured in a rust-resistant





CURT[™] Class 3 Trailer Hitch, 2" Receiver, Fits Select Chevy Equinox, **GMC Terrain, Pontiac Torrent**

- Rated to 3,500 lbs. gross trailer weight and 350 lbs. tongue weight
- · Compatible with weight distribution hitch (4,000 lbs. WD / 400 lbs. WDTW) Tested for safety in accordance with
- **SAE J684**
- Co-cured in a rust-resistant liquid Bonderite coating, inside and out



CURT[™] BALL MOUNTS SCURT CURT[™] Pintle Hook

- Couples to lunette eyes with a 2-1/2" or 3" inside diameter
- · Spring-loaded locking arm for secure coupling
- Adjustable pintle mount allows for precise trailer leveling Pintle capacity:

30.000 lbs. TOW 48215



CURT[™] Multi-Ball Mount with Hook

- (2" Solid Shank, 1-7/8", 2" & 2-5/16" Chrome Balls)
- · Allows for quick switching between trailer ball sizes
- · Tow hook perfect for vehicle recovery towing applications
- · Mounts on trailer hitches with a 2" x 2"
- receiver tube opening
- Tow hook limited to trailer hitch capacity
- Shank constructed from solid steel for optimum strength

TOW 45675

CURT[™] Commercial Duty Forged Ball Mount

20,000 Lbs. 2-1/2" Shank, 4" Drop TOW 45458

CURT[™] Forged Ball Mounts 17.000 Lbs.

2" Shank, 2" Drop, 8-1/2" Long 2" Shank, 4" Drop, 8-1/2" Long TOW 45340 TOW 45341



CURT[™] Class 3 Ball Mounts

7,500 Lbs. 7.500 Lbs. 2" Shank, 6" Drop, 9-1/4" Long 7-1/2" | ong TOW 45830 TOW 45870

7,500 Lbs. 2" Shank, 2" Drop, 2" Shank, 4" Drop, 8-1/2" | ong TOW 45850



CURT[™] CHROME FINISH SCURT TOW/TRAILER BALLS

CURT[™] Chrome Switch-Ball[™]Set

The exclusive 'J' Groove design ensures that when the ball is installed on the shank and engaged by a coupler, the hitching system is secure and has been proven safe through independent testing

Switch Ball[™] is designed so the weight bearing capacity is resting on the shank taking the stress away from the ball, freeing the coupler

- from friction and binding, providing smoother and safer towing

· No tools required TOW 42225

Ball diameter: 1 7/8", 2", and 2-5/16" Shank length: 2 1/4" Shank depth: 1' Capacity: 8,000 Lbs.

	Ball Size	Shank Diameter x Length	Capacity	Line Par Code Nur	-
	1-7/8"	1" x 2-1/8"	3,500lbs.	TOW 401	.62 \$11.99
	2"	3/4" x 1-3/4"	3,500lbs.	TOW 401	.64 \$11.99
	2"	1" x 2-1/8"	6,000lbs.	TOW 401	.66 \$11.99
	2"	1" x 3"	6,000lbs.	TOW 400)74 \$11.99
	2-5/16"	1" x 2-1/8"	7,500lbs.	TOW 401	.67 \$14.99
	2-5/16"	1-1/2" x 2-5/8"	10,000lbs.	TOW 401	.68 \$17.99















WELDING WELDING HELMETS

Forney® Pro Series Maple Leaf Auto Darkening Welding Helmet

- · Lightweight impact resistant
- 10.44 sq.-inch viewing area
- 4 Arc sensors
- Internal stepless controls
- · 1/25,000 per second switching speed
- · DIN 5 to 9 for low amperage MIG welding or plasma cutting
- · Solar cells with 2-each replaceable 3V lithium (3V-CR2045) batteries and automatic on/off technology

FNY 55939



Lincoln Electric[®] Welding Helmets LINCOLN

- · Improved optical clarity for reduced eye strain · Auto-darkening DIN 9 to 13, with 4 arc sensors and 7.74 sq. inch viewing area
- Replaceable battery
- · Variable sensitivity and delay
- · A grind mode feature
- Midnite Black LEC CK3192-1



Forney[®] Auto Darkening Welding Helmets

- · 5.97 sq. inch viewing area
- · High definition optical clarity with true colour technology · Two optical arc sensors for extra protection against arc flash
- Black Matte FNY 55857



- Forney[®] Premier Series[™] Gerry Cheevers Auto Darkening Welding Helmet · Lightweight impact resistant
- · 2 Arc sensors with 5.97 sq. inch viewing area
- · External shade selector
- · Internal stepless controls
- · 1/25,000 per second switching speed
- DIN 9 to 13 variable shade selection
- Solar cells with non-replaceable 3V lithium batteries and automatic on/off technology FNY 55862



WELDING GLOVES

Forney® Heavy-Duty with Reinforced Thumb, Blue, Large

- · Premium side-split leather palm and back
- · Fortified with heat resistant Kevlar thread
- · Cotton foam lining for moisture absorption and heat protection.



Lincoln Electric[®] Traditional MIG Stick Welding Gloves

- · Made of heat and flame resistant shoulder split cowhide
- · Kevlar stitching with welted seams for added durability
- · Full sock lining with straight thumb for improved finger tip sensitivity
- · 5 inch cuff for added welding protection



Forney[®] Ground Clamp, 300 AMP, Steel

· Accepts up to #2 welding cable. FNY 54410 \$1799



TORCH KITS UltraCool Pro Torch Pencil Flame Brass Torch Kit · Idea for soft soldering Manual ignition Pencil Flame Includes 14.1oz propane cylinder CCM UF-4921 UltraCool Pro Torch Self Igniting Torch Kit Auto ignition · Stainless steel burner tube Adjustable Flame · Portable, lightweight and easy to use Anti-Flare feature Includes 14.1pz propane cylinder CCM UF-4923 UltraCool UF-4932 Pro Torch Self Igniting Swivel Torch · For use with propane, MAPP or MAPP substitutes Auto ignition · 360 degree angled swivel tube

Adjustable Flame

CCM UF-4932

Forney[®] Self-Igniting Trigger Torch

- · Adjustable flame control knob
- · Ideal for soldering copper pipes, brazing, heat treating and light welding

FNY 61545 **7999**

FORNEY[®] ACETYLENE OXY/FUEL OUTFITS

Forney[®] Medium Duty Acetylene OXY/FUEL Outfit

Victor[®] Compatible · Welds up to 3/8"



Fornev® R-Grade Oxv-Acetvlene Hose 1/4" x 25' FNY 86145 \$**57**99

Lincoln Electric Magnum[®] 100SG spool gun LINCOLN

- · Provides reliable and precise wire feeding performance for soft aluminum wire
- Works with the Easy Mig 140 and Easy
- Mig 180 wire-feed welders No expensive gun or bulky adapter
- module is required Cushioned carrying case protects the gun
- during transport and storage











INVENTORY REDUCTION SALE ALL ITEMS OFFERED ON THIS PAGE ARE LIMITED QUANTITIES, WHILE SUPPLIES LAST. PLEASE CONTACT YOUR LOCAL STORE FOR AVAILABILITY.

Specialty & Hand Tools

OTC° Adjustable Hook Spanner Wrench OTC 885

\$148.99

Lisle[°] 7-Piece LED **Deutsch Terminal Kit** LST 72300

\$109.99

OTC° HD Sliding Tire Spoon OTC 5716

\$179.99

OTC° Extending Tire Spoon OTC 5724

\$199.99

OTC° Pick/Hook and Hose **Removal Set** OTC 8260M \$199.99



OTC° Pilot Bearing Puller OTC 7319 \$179.99

POWERBUILT° 5 Pc. **Threaded Coil-Insert Repair Kit** TLS 647947



POWERBUILT° 8 Pc. 1/4" & 3/8" Drive SAE ZEON Socket Set TLS 941323

S15.99

Diagnostic Tools

Bosch ESI[truck] HD Diagnostics OTC 3824 * Contact your local store for pricing and availability







CP 1/2" Heavy **Duty Ratchet** CP CP828H

S157.99

CP 1/2" Pistol Grip Air Drill CP CP785H S280.99

CP 3/8" Standard-Duty **Pistol Drill CP CP785**

S157.99

CP 1/2" Super-Duty Impact CP CP749

S283.99

CP 3/4" Heavy-Duty Impact CP CP772H

CP 1/2" General-Duty

CP 3/8" Heavy Duty Ratchet

CP CP828 \$155.99

CP Standard-Duty Die Grinder CP CP872

\$83.99

CP Dual Action 6" Air Sander CP CP870 \$83.99

CP Mini Polisher Kit

CP CP7201P

Power Tools

Impact

CP CP8738

CP 3/8" Cordless

\$252.99

S164.99















Air Compressors

DEWALT° Industrial Air

DEWALT

DEWALT

DEWALT

USA

DEWALT

S1006.99



Air Hoses & Reels

DEWALT° 1/2 in. x 50 ft. Double Arm Auto Retracting Air Hose Reel COM DXCM024-0344

\$269.99

DEWALT° 3/8 in. x 50 ft. Double **Arm Auto Retracting Air Hose Reel** COM DXCM024-0343 \$185.99

DEWALT° 3/8 in. x 50 ft. Enclosed Air Hose Reel with Hybrid Hose COM DXCM024-0345



DEWALT° 3/8 in. x 50 ft. Manual **Hose Reel** COM DXCM024-0348 **\$95.99**







INVENTORY REDUCTION SALE ALL ITEMS OFFERED ON THIS PAGE ARE LIMITED QUANTITIES, WHILE SUPPLIES LAST. PLEASE CONTACT YOUR LOCAL STORE FOR AVAILABILITY.



S19.99



TEO CORRECT Wheel Chocks EQP TQ3450 S15.99





Forney[®] 100ST Welder Starter Kit FNY 29801 **449**

Welding



Inventory Reduction

FILL-RITE[®] 901 4-Wheel Mechanical Meter 6 - 40 GPM TUT 901CMK4200 **\$409.99**

Oil/Lube Service



FILL-RITE[®] DEF/AdBlue[®] 8GPM 120V AC Pump System with Manual Nozzle TUT DF120CMN520 \$729.99



TEQ Correct[®] 3" Wheel For **Plastic Creeper** EQP 30002PV \$2.99

TEQ CORRECT Shop Seat

Shop Equipment

EQP 96001PV

\$34.99

Tire Service

OTC° Hands Free Air Chuck OTC 5745 **S79.99**

POWERBUILT° 1/4" Drive TPMS **T-Handle Torque Wrench** TLS 649971

S129.99

Milton° EXELAIR[™] Digital Tire Gauge with Extended Swivel Dual Air Chuck MIL EX516DIG **S21.99**

Milton° Straight Foot **Dual Head Chuck MIL S516** S61.99



Milton[°] Dual Head Chuck **Service Gauges MIL S-982**





BUY NOW PAY LATER LEASE YOUR PURCHASE & DONT PAY FOR 90 DAYS*

**On approved credit. Minimum total equipment cost of \$2000 plus applicable taxes. Please note, finance payments vary with every transaction, based on size, prevailing rates, credit history and other factors. Terms may vary. All programs subject to final approval by Affiliated Financial Services. See our ad on page 2 for more details. E.A.O.E.